INDEX Copeia, 1982, Nos. 1–4

NEW NAMES

Amyzon gosiutensis 523–532 Brachymeles apus 840–844 Echiodon dawsoni 845–851 Ictalurus (Amiurus) hazenensis 38–46 Iranocichla hormuzensis 28–37 Menidia clarkhubbsi 533–540 Notropis bocagrande 514–522 Scaptochelys 852–867 Spottobrotula amaculata 497–500 Zenarchopterus alleni 265–276 Zenarchopterus robertsi 265–276

NEW AND ESTABLISHED NAMES

Abies balsamea 409 Ablennes 276, 278-280, 287 hians 277-280, 282, 284, 287 Acacia 430 confusa 426, 430 Acalyptophis peronii 663-664 Acanthurus bahianus 230-231 ruhrum 409 saccharum 409 spp. 410 Acheta domestica 972 Acipenser 944 Acris crepitans 75 Acrochordus 541-542, 544-547 granulatus 663-665 javanicus 542-543 Adelophis 544, 547 foxi 542-543 Adelotus 597, 600 brevis 596 Adenorhinos 558 Aega sp. 102 webbii 107 Aequidens sp. 68 Aethotaxis 389 mitopteryx 386-391 Afrixalus 597, 599 sp. 596 Afroedura africana 559 Afronatrix 541, 544, 546-548 anascopus 542-543 ferox 542 Agalychnis 511-512 annae 501 calcarifer 511 callidryas 508, 606 moreletii 501 Agkistrodon 788 acutus 543 contortrix 700-702, 702-705, 961

contortrix laticinctus-pictigaster intergrade 701 contortrix mokasen 793 contortrix pictigaster 701 piscivorus 337-343, 651, 701, 793, 961-962 Ahaetulla nasutus 971 Aipysurus eydouxii 663-665 Albizia lebbech 323 Alligator 384 mississippiensis 69, 479, 723 sclerops 706 Alsophis vudii 543 Ambassis sp. 479 Ambloplites 581, 585, 587-591, 593 ariommus 581, 584 cavifrons 581-594 constellatus 581 rupestris 581-592 rupestris cavifrons 587 rupestris rupestris 587 rupestris spp. 586, 588 Ambrosia dumosa 820 Ambystoma 53, 81, 89, 159, 485, 757 annulatum 54, 56 jeffersonianum complex 485-488 laterale 485-487 laterale × Ambystoma texanum 486 maculatum 91-93, 95-96, 157-160 opacum 477 platinum 485 sp. 53 texanum 486-487 tigrinum 81-90, 159, 188, 667-671 tremblayi 485, 487 undescribed species 54, 56 Amia 943-944 fragosa 466 sp. 530-531 Amphibolurus muricatus 824-829 Amphiesma 544, 546-547 stolata 542-543 Amphiuma 188 Amyzon 523-524, 526-527, 531

aggregatum 524-530 brevipinne 526, 529 commune 529 gosiutensis 523-532 sp. 530-531 Anacanthobatis 873 Andrias 188 Aneides aeneus 54, 56, 58, 409 flavipunctatus 475 Anguilla 943 australis 798 reinhardti 798 Anisotremus 613-614, 616-617 bicolor 613-614 davidsoni 616 moricandi 613-618 surinamensis 613, 615-617 virginicus 454, 613, 616 Anolis 75, 77, 433 acutus 322-330 aeneus 329 allogus 827 auratus 827 carolinensis 189-192, 559 frenatus 827 homolechis 827 limifrons 327-328, 827 sericeus 23 tropidogaster 827 Anthias squamipinnis 659-660 Antimora 205 rostrata 205, 207 Aphanus dispar 36 Apistogramma 208-209 ramirezi 208-209 Aplocheilichthys johnstoni 750 Aplocheilus panchax 899 Apocope 903 Apogon quadrifasciatus 662 Aprionodon brevipinna 464 Aramus guarauna 68 Arapaima gigas 748 Archosargus probatocephalus 626 rhomboidalis 626 Arizona elegans 543 Arothron immaculatus 728-732 leopardus 728-732 reticularis 728-732 Arrhamphus 279 Artemia 3, 220 salina 619 Ascaphus 597, 599 truei 595, 606 Asineops squamifrons 530

Assa 597

darlingtoni 596

Astatotilapia 751 calliptera 749-752 Astebhus 38 antiquus 530 Astronotus ocellatus 68 Atelopus 508, 512, 611 varius 606, 611 Atheris superciliaris 556 Atractaspis 555, 557, 559 Azemiops 558 feae 553 Barbus macrotaenia 750, 753 Barygenys atra 601 Bassozetus 207 sp. 207 Bathygadus favosus 206 macrops 206 melanobranchus 206 Bathyraja 868, 873, 877 asperula 878 spinifera 878 tobitukai 878 Batrachosebs attenuatus 248, 475 Batrachospermum sp. 333 Baumea rubiginosa 479 spp. 332-333 Belodontichthys 891 Belone 276, 279-280, 287 belone 278-280, 282, 284, 287 belone euxini 277 Belonion 276, 285, 287 apodion 278 dibranchion 278 Belonesox belizanus 136 Betta splendens 900 Betula alleghaniensis 409 papyrifera 409 spp. 410 Bhanotia 210 nuda 210 uncinatus 210-212 Bitis arietans 558 Blarina 96 Boa constrictor 543 Boaedon 545 fulginosus 543 Bodianus rufus 230 Boiga 541 irregularis 543 Boleophthalmus boddarti 36, 232-234 dussumierei 232

Bolitoglossa 187-188

dofteini 187-188

Bombina orientalis 606

rostrata 475 subpalmata 474-478 Bosmina 316-318 Capensibufo 597, 599 longirostris 309 rosei 596, 599 Bothrops 788 Caranx ruber 231 atrox 543 Carapus 845, 849-850 dunni 555 cinereus 849 godmani 555 rendahli 850 lansbergii 555 Carassius auratus 434-439 neuwiedi 555 Carcharhinus 103-104 nummifer 555 albimarginatus 113-114 schlegeli 555 brevipinna 103, 461-465 Brachionus plicatilis 619 falciformis 224-225 Brachydanio rerio 1-9 galapagensis 114, 224 Brachyistius frenatus 349 isodon 103 Brachymeles 840-844 leucas 110-116, 226 abus 840-844 limbatus 223, 461-465 bicolor 843 maculipinnis 461, 464 vermis 840-841, 843 milberti 110-111, 113 wrighti 843 plumbeus 110-111, 113, 226 Brachystacus 896 signatus 102-109 Breviceps 597, 601 sorrah 104 sp. 596 Carcharias Breviraja 873 menisorrah 223 Bridelia monoica 426 taurus 111 Brotula 208 Carcharodon carcharias 254-260 barbatum 207 Caretta caretta 161-167, 482, 484, 746, 963-965, 965-Brycon hilarii 68 969 Bufo 91, 597, 599, 601, 672, 677-679 Caridina americanus 91-92, 94, 96, 606, 672 indistincta 332-333 blombergi 606 nilotica 750 boreas 477, 606 Carpiodes 526 calamita 606 cyprinus 528 fowleri 191 group 527 marinus 510, 596 sp. 529 nesiotes 502 Casaurina equisetifolia 708 poeppiggi 502 Cassia siamea 426, 430 spinulosus complex 512 Catostomus 526-527 typhonius 507, 510-511 clarki 443, 448 valliceps 607 commersoni 445-448, 529 woodhousei 351-355, 672-680 discobolus 443, 448 Bungarus fasciatus 543 fumeiventris 441-442 Bursera simaruba 323 group 527 Buteo spp. 632, 634 platyrhynchus 443, 448 Bysmachelys 854 plebeius 444-449 santaanae 439-444, 448 Causus 558 Ceiba pentandra 323 Caiman 384 Centrolenella 511 crocodilus 66-72, 383 audax 510 crocodilus yacare 67 cochranae 510 sclerops 706 pipilata 510 sp. 375 siren 510 Calamoichthys 944 Centropomus 618 Calidris melantos 232 undecimalis 618-627 Callisaurus draconoides 820, 838 Centropristis striata 626 Cambarellus chihuahuae 519 Cephaloscyllium ventriosum 948-952 Cambarus diogenes 92 Cerberus 383

rhynchops 383

Cetonurus globiceps 206

Chaca 895-896, 898-900

Cetorhinus maximus 110-111, 113

Camponotus sp. 972

aspera 543

bibroni 195

Candoia

beldingi 680-694

perplexus 680-694

rhotheus 680-694

confusus 693

bankanensis 895-900 Cichlasoma godmani 136-137 buchanani 896, 898 sp. 454 chaca 895-900 hamiltoni 896, 898 urophthalmus 136 lophioides 895-896, 898, 900 Cinnamomum camphora 426 Clarias Chaetodon capistratus 230 mossambicus 750 Chamaeleo theodorae 750-751 ellioti 488 Clelia occipitomaculata 543 hoehnelii 488-489 Chanos chanos 36 Clemmys 977-978 Chara 186 caspica 977-978 Charina bottae 543 guttata 977-978 Cheilopogon 276-277, 282, 290 insculpta 976-978 japonica 978 atrisignis 281-283 marmorata 977-978 cyanopterus 277, 284 muhlenbergi 977-978 heterurus 284 nigricans 277 Clerodendron cytophyllum 426, 430 pinnatibarbatus 284, 287 Clinus testudinarius 344, 349-350 Cnemidophorus 416-424 sp. 277 inornatus 417 spilonopterus 282, 284, 287 neomexicanus 416-424 spilopterus 284 sexlineatus 416-424 Chelidonichthys 294-295 tesselatus 416-424 africanus 295 tigris 417, 835, 838-839 capensis 292 gabonensis 291, 295 Cocos nucifera 708 Coelorhynchus carminatus 206 kumu 292 lastoviza 295 Cololabis 286 saira 276, 278, 282 lucerna 292 queketti 291-292, 294-295 Colostethus sp. 507, 510 Chelodina Coluber 545, 791-793 expansa 331, 335 constrictor 543, 788, 961 constrictor constrictor 789 longicollis 331, 335 Coniophanes imperialis 543 Chelonia agassizi 742, 744, 746 Conocarpus 380 depressa 746 Conomyrma mydas 65, 161-167, 183-185, 482-485, 708-710, 746 insana 820, 822 spp. 820 Chelus 179 Conophis vittatus 543 fimbriatus 71 Chelydra 60, 62-65, 859, 977 Cophixalus 597, 600 serpentina 61-64, 394, 398, 484, 650, 699, 965 ornatus 596 Corallus enhydris 543 serpentina acutirostris 61 Coronella austracia 192 serpentina osceola 61 Corydalus cornutus 808, 811 serpentina serpentina 61, 977-978 Cherax Corydoras sp. 68 robustus 332-335 Coryphaenoides armatus 205-207 sp. 479 Chiloscyllium plagiosum 115 canus 206 Chinemys 62-63 caribbaeus 206 reevesi 61-62, 977 cariminatus 206 Chiromantis rufescens 606 coelorhynchus 206 Chironius sp. 543 mexicanus 206 Chromis punctipinnis 349, 949 occa 206 Chromogaster 316-318 Corythoichthys 211 sp. 309 Cottus 680-694 Chrysemys 977 aleutianus 693 picta 394-399, 776-778, 977-978 asper 693 bairdi 450-453 scripta 859

Chrysopelia paradisi 543

sphaericus 309, 312

Chydorus 316-318

Chrysosphaerella longispina 309

	•
Craterocephalus stercumscarum 479	Daphnia 316-318
Crenilabrus melops 660	pulex 309
Crinia 597	Deirochelys 976–978
georgiana 596	reticularia 776-782, 976-978
Crocodilus niloticus 69, 71	Dendrelaphis sp. 543
Crocodylus	Dendrobates 597, 599-600, 611
acutus 374-385	aurea 596
palustris 71	tinctorius 606-611
porosus 374-375, 377-379, 381-383, 478-480	Dermatemys 65
Crotalus 148, 545, 788	Dermochelys coriacea 181-183, 708-710, 741-747
adamenteus 555	Dermogenys 276, 285, 287
atrox 198-200, 555, 961	pusillus 276–277, 280
cerastes 555, 836	Desmognathus 125, 476
durissus 558	auriculatus 409
horridus 702-705, 961	fuscus 54, 56, 409
mitchelli 555	monticola 54–56
polystictus 701	ochrophaeus 409
pusillus 555	quadramaculatus 125
ruber 555, 558	sp. 756
spp. 701	Diadophis 545
viridus 543, 555, 701, 793, 961	punctatus 545
willardi 701	Diaptomus 316–318
Crotaphopeltis hotamboeia 543	pallidus 309
Crotaphytus wislizenii 835-839	sp. 309
Cryptobranchus 188	Dicamptodon ensatus 188
alleganiensis 52, 756	Dicrolene intronigra 207
Culex sp. 530	Didypophis 559
Cuora 63	vivax 559
amboinenesis 61-64	Dilocarcinus 69
Cyanea capillata 181	Dinobryon 170
Cyclemmys 63	Dionda episcopa 903
dentata 61-63	Diplacanthopoma 207
Cycleptus 526-529	brachysoma 207
Cyclocypris 316–318	Diplanthera wrightii 162
sharpei 309	Diplodactylus vittatus 938
Cyclops 316-318	Diplomystus dentatus 530
bicuspidatus 309	Dipsas 47
Cyclorana 261, 597, 601-602	elegans 46-49
australis 596-597	ellipsifera 46-48, 50
cryptotis 260-264	oreas 46-47, 50
cultripes 264	Dipsosaurus dorsalis 820
dahli 595-601	Discoglossus pictus 606
platycephalus 596	Dissostichus mawsoni 386–391
Cylindrophis maculatus 543	Dorosoma Dorosoma
Cynoglossus macrolepidotus 662	cepedianum 953
Cyperus papyrus 748–749	petenense 952–954
Cypria 316-318	Dracaena paraguayensis 68
inequivalva 309	Drosophila 474–475, 477
Cyprinion watsoni 36	Drymarchon 788
Cyprinodon 915	corias 543
fontinalis 519	Drymobius margaritiferus 543
variegatus 380	Dytiscus verticalis 91–96
Cyprinus 943	Djustus veriums 31-30
Cypselurus 276–277, 282, 290	
callopterus 284	Echiodon 845-851
opisthopus 277	dawsoni 845-851
poecilopterus 284	dentatus 845–847, 850–851
Cyrtocara 749	drummondi 845–847, 850–851
Cyrtococcum accrescens 426	exsilium 845–847, 850–851
Cyrtodactylus kotschyi 770	sp. 846
Cystoseira neglecta 347	sp. "A" 845–847, 850
and and a second	

Echis Esox masquinongy 717-719 carinatus 555-556 niger 955-957 coloratus 558 Edalorhina perezi 642, 644 Etheostoma 561, 693 atripinne 562 Egretta thula 68 Eichhornia 69 blennioides 217-218 Eisenia arborea 347 caeruleum 217-218 Elaphe 788, 790-792 flabellare 217-218, 805-814 longissima 192 fonticola 219 fusiforme 562, 566 oblongissima 192 longimanum 561-562, 564 obsoleta 192, 543, 788 microperca 219, 561 obsoleta obsoleta 790 nigrum 217-218, 562, 564 vulpina 192 olmstedi 561-566 Elapsoidea sundevalli 543 Elassichthys 276, 285-287 perlongum 561-567 adocetus 277-278, 282 podostemone 805-814 Eleotris sp. 662 proeliare 219, 561 Elephantopus mollis 426 smithi 562 Eleutherodactylus 508, 510-511 spectabile 217-218 cremnobates 510 Etroplus 34 incomptus 510 Eugomphodus taurus 111 oclendeni 502 Euleptorhamphus 279-283, 285, 287-290 viridis 277, 281-283 peruvianus 502, 510 petersi 510 Eumeces 549, 551-552, 840 prolatus 510 elegans 430 quaquaversus 510 fasciatus 969-971 rhodopis 696 inexpectatus 550-551 sp. 507 minimus 549-552 w-nigrum 510 Eunectes Elseya 859 murinus 971 dentata 331, 359 notaeus 68 Emydocephalus 664 Euphasia 391 Emydoidea 976-978 superba 392 blandingi 976-978 Eurycea 117, 125, 476, 755-756, 761-762 Emydura bislineata 117-122, 125-127, 755-762 australis 331 bislineata wilderae 755-756 krefftii 331-336 junaluska 755-762 longicauda 54, 56-57, 117, 125-126 macquarii 331 unnamed species 331 longicauda guttolineata 117-119, 122-127 Emys 976-978 longicauda longicauda 125 orbicularis 976-978 longicauda melanopleura 125 Enhydrina schistosa 663-665 Exocoetus 283, 288 Enhydris plumbea 542-543 monocirrhus 277, 283 Ensatina escholtzii 253, 475 volitans 224, 277, 281-283, 285-287 Entosphenus appendix 363 Exoglossum 903 Epibulus insidiator 227-229 maxillingua 711-712 Epicrates 971 conchina 543 Epinephelus cruentatus 229-230 Farancia 545 fulvus 229-231 abacura 543 Eptatretus 944 erytrogramma 543 Eretmochelys imbricata 183, 708-710, 746 Ficimia publia 543 Erimyzon 529 Fistularia pertimba 454 oblongus 529 Floridichthys carpio 136 Erismatopterus levatus 530 Fodiator 276, 280, 282-284, 288 Erpetoichthys 944 acutus 280-283, 285-287 Erpeton tentaculatum 542-543 acutus rostratus 277 Erythrodiplax berenice 380 Fundulus Erythrolamprus aesculpii 543 grandis 380 Eryx sp. 543 nevadensis 41

Gadella maraldi 207	Gila
Gadomus	orcutti 833
arcuatus 206	sp. 41
longifilis 206	Ginglymostoma cirratum 115, 226
Gadopsis marmoratus 798	Girella nigricans 349
Galaxias 802	Glochidion rubrum 426
maculatus 798	Glossamia aprion 479
parvus 335	Gobiosoma 712
pedderensis 335	evelynae 713
truttaceus 798	genie 713
Galeocerdo cuvieri 111	illecebrosum 713
Galeorhinus	oceanops 712
australis 110, 113, 115	prochilos 713
japonicus 110–113, 115	randalli 713
Gambusia 128–147, 380	
	sp. 712–714
aestiputeus 131, 134	Gonyosoma oxycephala 543
affinis 296, 455, 789	Gopherus 852–858, 861–865
alvarezi 133	agassizii 853
dovii 131, 133	auffenbergi 854
hurtadoi 133	berlandieri 853
luma 128, 130, 132-133, 135-138, 144-145	brevisterna 854
mcneili 131, 133	canyonensis 854, 857, 860, 862, 864
nicaraguensis 128, 130-136, 138, 144-145	copei 854
nicaraguensis sexradiatus 137	dehiscus 854
puncticulata 128, 140-142, 145	depressus 854
puncticulata baracoana 141	edae 854
puncticulata bucheri 141	emiliae 854
puncticulata manni 141	flavomarginatus 852-855, 857, 861-865
puncticulata monticola 141	hexagonata 854
puncticulata puncticulata 141	huecoensis 854
puncticulata yucatana 128-146	neglectus 854
sexradiata 128, 130–140, 144–146	pansa 854, 857
yucatana 139, 142	polyphemus 394, 398, 852–858, 860, 862–863
Garra cf. persica 36	praecedens 854
Gasterosteus 144, 832	undabuna 854
aculeatus 440, 829–835	vaga 854
aculeatus microcephalus 830–831, 833	Gosiutichthys 530
aculeatus williamsoni 831, 833	parva 530
doryssus 41	Graciliaria 708
Gastrophryne carolinensis 91, 607	Graptemys 977–978
Gastrophysus lunaris 728–732	geographica 978
Gastrotheca 512	nigrinoda 977
Gazza minuta 202	pseudogeographica 827
Gehyra	pseudogeographica ouachitaensis 335
punctata 938	spp. 699
variegata 938	Gurgesiella 873
Gekko gecko 770	Gyalopion quadrangularis 543
Gelidium 348, 708	Gymnodraco acuticeps 386-388
nudifrons 344-345, 347, 349	Gymnothorax
sp. 345, 347	moringa 229-231
Geochelone 854-855, 359, 364	sp. 66
dehiscus 854	Gyrinophilus porphyriticus 54, 56-57, 125, 756
emys 861	G) 1110pmm porphyrmens 01, 00 01, 120, 150
impressa 861	
Geomys bursarius 577–578	Hadrianus 860
Geophagus 209	majusculus 859–860
Geotria australis 798	Haemulon 616
Gerrhonotus 550, 552	album 204
	moricandi 614
liocephalus 971	
Gibbonsia 348	parrai 616
elegans 344, 347-349	Halichoeres semicinctus 349

Haplochromis 749 Hyla callipterus 749 andersonii 175-178 euchilus 752 aurea 595, 601 cinerea 175-177, 606 "Haplochromis" cf. kiwinge 750-751 crucifer 91-92, 94-95 Heleioborus ebraccata 511 albobunctatus 596 lanciformis 604 eyrei 596 phyllognatha 510 Helicops modesta 543 Hemidactylus regilla 697 frenatus 770, 774-775 sarayacuensis 510 sp. 507, 601 turcicus 770-775 Hylambates aubryi 601 Hemiramphus 276-277, 279-283, 285, 287, 289-290 kampeni 275 Hymenocephalus lutkei 277, 279, 281-283, 286 aterrimus 206 novaeguineae 275, 278 billsam 206 robustus 282-283, 285-287 cavernosus 206 italicus 206 Hemirhamphus delagoae 719 Hyperolius 597, 599 marmoratus 596, 607 improvisus 719 knysnaensis 719 Hypopachus muelleri 607 Hesperoleucas 520 Hypoplectrus puella 230-231 Heterandria formosa 296 Hypoprion 102-104 Heterodon 541, 544-547, 788, 791-792 bigelowi 102-109 nasicus 577-578, 789, 792 hemiodon 103 platyrhinos 542-543, 545 longirostris 107 Heterodontus 945 macloti 102-104 francisci 115 signatus 102-103 Hyporhamphus 276-277, 282-283, 285, 287-290, 719 galeatus 115 portjacksoni 113 affinis 719 Heteropneustes fossilis 953 balinensis 277, 280-283, 285-286 capensis 719 Heterostichus rostratus 344-350 delagoae 719-721 Hibiscus tiliacus 708 Hirundichthys 276, 282, 290 improvisus 719-721 oxycephalus 285 neglectissimus 277, 280, 285, 287 rondeletii 277, 283-284 picarti 277, 280 speculiger 277 sindensis 277, 280-283 Histiodraco velifer 386-388 Hypseleotris Holacanthus tricolor 230 simplex 479 Holbrookia maculata 356-362 sp. 334 Homalopsis 541, 544-547 Hypsidoris 38 buccata 542-543 farsonensis 530 Hoplias malabaricus 68 Hypsypops rubicundus 349 Hoplosternum sp. 68 Hura crepitans 323 Hybopsis 903 Ichthyomyzon Hydrochoerus hydrochaeris 68 castaneus 365 fossor 365 Hydrocotyle umbellata 368 Hydrodynastes 545 hubbsi 365 gigas 543 Ictalurus 40-41, 45 Hydrolagus 946 brunneus 42-43, 45 Hydromedusa 179 catus 38, 42-43, 45 maximiliani 179 hazenensis 38-46 tectifera 179 lavetti 43 Hydrophis leidyi 43 brookii 663-665 macgrewi 42-43 caerulescens 663-665 melas 42-43, 45, 457-460, 519 cyanocinctus 663 natalis 38, 42-45, 457-460 fasciatus 663-665 nebulosus 42-45, 459 melanosoma 663-665 peregrinus 38-39

platycephalus 42-43, 45

sawrockensis 43-44

ornatus 663

torquatus 663

serracanthus 38, 42–43 vespertinus 38–39, 42–45 Ictiobus 526–527 bubalus 528 cyprinellus 526, 528 niger 523, 526, 528–529 Imantodes gemmistratus 543 Iranocichla 28, 34–36 hormuzensis 28–37 Isurus oxyrinchus 224–225, 254–255

Japalura 425 swinhonis 425 swinhonis formosensis 425–434 Johnius sp. 662 Jordanella floridae 438

Kaloula pulchra 607
Kankanophryne occidentalis 606
Kassina 597, 600
senegalensis 607
sp. 506
Kaupichthys sp. 662
Kellicotia 316–318
longispina 309
Keratella 316–318
cochlearis 309
Kinixys 861
Kinosternon 568–570, 578
arizonense 578

flavescens 480–482, 567–580 flavescens arizonense 567, 569, 573–576, 578–579 flavescens durangoense 567, 569, 573, 575–576, 578– 579

flavescens durangoense × Kinosternon flavescens flavescens 573 flavescens flavescens 567, 569–570, 572–579

flavescens spooneri 567–580 subrubrum 776–782

Knightia alta 530 eocaena 530 Kryptopterus 891 Kyarranus 597, 600 loveridgei 596

lamottenii 363

Labroides dimidiatus 226–227 Lachesis muta 543, 555 Laemonema barbatulum 207 laureysi 207 melanurum 207 Lamna nasus 110–111, 113, 254 Lampetra 365, 944 aepytera 363, 365 appendix 362–366 lamottei 363

planeri 365 wilderi 363, 365 Lampropeltis 788, 790-792 getulus 543, 788, 790, 792 getulus californiae 789-790, 792 getulus savi 192 getulus yumaensis 192 Lanius cristatus 430 ludovicianus 836 Lantana camara 426, 430 Lapemis hardwickii 661, 663-665 Larrea tridentata 820 Laticauda colubrina 663, 665 Latimeria 942-948 chalumnae 467-471 Lechriodus 597 fletcheri 596 Leimadophis typhlus 543 Leiognathus bindus 202 blochi 202 dussumieri 202 equulus 202 fasciatus 202-204

bindus 202
blochi 202
dussumieri 202
equulus 202
fasciatus 202–204
klunzingeri 202
splendens 202–203
Leiopelma 597, 599
hochstetteri 595, 599
Lepidochelys
kempi 161, 746
olivacea 742, 744, 746
Lepidostren 945

Lepidotrigla faurei 292 multispinosus 292 natalensis 292 Lepironia articulata 332–333 Lepisosteus 943–944

platyrhynchus 457

sp. 530 Lepomis 305, 309, 318–319 auritus 307 cyanellus 307 gibbosus 307, 958–960 macrochirus 307, 319, 455, 692, 723, 955–957, 958– 960

megalotis 319 microlophus 204 Leptocarpus spathaceus 479 Leptodactylus melanonotus 606

Leptodeira annulata 543 Leptograthus andrei 46, 48–51 elegans 46–48, 51 ellipsifera 47–48 maxillaris 46 mikanii 46 oreas 49–50

Leptopelis 597, 600 aubryi 607 bocagei 611

bocagii 607

Leptotyphlops dulcis 543, 788

Lethenteron 365

alaskense 365

lamottenii 363

meridionale 363

reissneri 365

Lethocerus americanus 92, 94

Leucaena leucocephala 323

Leuciscus

croseus 903

leuciscus 8

Leurognathus marmoratus 54, 56, 125, 756

Liasis albertisii 543

Lichanura roseofusca 543

Limnodynastes 597, 599

convexiusculus 596

dorsalis 596

dumerili 596-598, 600

ornatus 596

peroni 596

spenceri 596

tasmaniensis 596

Lioheterodon madagascariensis 543

Liolaemus 839

Liophis miliaris 543

Litoria 597, 602

alboguttata 596

aurea 595, 601

caerulea 596

chloris 596

dahli 595, 601

moorei 596

pearsoni 596

verreauxi 596

Lovettia sealii 802

Loxocemus bicolor 543

Lucania parva 455

Luciobrotula 497

Lumbricus terrestris 789 Lycodon 545

laoensis 543

Lystrophis semicinctus 543

Lythrulon flaviguttatum 715-716

Mabuya acutilabris 559

Macquaria colonorum 798

Macrobrachium sp. 479

Macroclemys 60-65, 977

temmincki 61-64

Macrocystis pyrifera 344, 948

Malaclemys 977

terrapin 977-978

Malacocephalus

laevis 206

occidentalis 206

Mallomonas caudata 309

Mallotus japonicus 426

Malpolon 545

monospessulanus 543

Manouria 861

Marcusenius nyasensis 750

Mastacembelus shiranus 750

Masticophis flagellum 543, 836 Mastigodryas bifossatus 543

Mauremys 62, 64, 978

caspica 61-62, 200-201, 978

japonica 978

Meda fulgia 903

Medialuna californiensis 349

Megaceryle alcyon alcyon 631

Megaphrys monticola 606

Megistolotis lignarius 596

Melaleucas spp. 478-479

Melanophryniscus stelzneri 606

Melicoccus bijugatus 323

Mellapedalion 280

Menidia 533-540

audens 534

beryllina 380, 533-539

beryllina × Menidia peninsulae 534-536, 539

clarkhubbsi 533-540

extensa 534

menidia 534

peninsulae 533-539

Mesoclemmys

gibba 181 ?sp. 180

Microcephalophis gracilis 663-664

Microgeophagus 208-210

ramirezi 209

Micrognathus 211

Micropechis ikaheka 543

Micropterus 305, 309

salmoides 307, 692, 959

Microsaura pumila 489

Micrurus ruatanus 543

Miscanthus floridulus 426 Misconus sp. 207

Mixophyes 595, 597, 599-602

fasciolatus 596

Mogurnda mogurnda 479

Moniana formosa 519 Monomitopus 207

agassiz 207

ugussiz 201

Mordacia mordax 798

praecox 365

M FOO

Moxostoma 526 macrolepidotum 529

Mugil sp. 662

Muraena miliaris 229-230

Mustelus canis 110, 468

Myobatrachus 597

gouldi 596 Myrichthys

or yruninys

acuminatus 229-231

tigrinus 229

Myriophyllum spicatum 958

Myrmecocystus spp. 820 Myxine 944 Myxocyprinus 526-529 Naja haje 337-343 naja 543 Nanichthys 286 simulans 277-279, 282 Nannoperca australis 798 Natrix 541, 544-548, 788 maura 472-474 natrix 472, 542-543 Necturus maculosus 52, 695-698 Negaprion acutidens 226 brevirostris 110, 226, 259 Nematocentris sp. 479 Neobatrachus pelobatoides 595, 601 pictus 596, 600 wilsmorei 596 Neobythites 207 Neoceratodus 945 Neoheterandria tridentiger 296 Neoraja 878 Nerodia 10, 541, 544-547, 651, 788-789, 975-976 cyclopion 542-543 fasciata 974-976 fasciata compressicauda 381 rhombifera 651 sipedon 651-652 sipedon sipedon 473 taxispilota 646-652, 962, 974-976 Nesides 470 Nezumia aequalis 206, 208 cyranoi 206 hildebrandi 206 Ninia atrata 543 Notaden 597, 600 bennetti 596, 606 melanoscaphus 596 nichollsi 596 Notophthalmus viridescens 52, 54, 56-57, 81, 88, 91-96, 185-186, 670 Notorynchus 945 Notothenia angustata 386, 388-389, 391-392 Notropis 514, 520, 811 bocagrande 514-522 callitaenia 214-217 formosus 514-522 frigridus 519 garmani 518, 521 lutrensis 214-217, 518-521 lutrensis-complex 514, 518

lutrensis formosus 520

mearnsi 519-521

lutrensis santamariae 519

lutrensis × Notropis callitaenia 214-217

panarcys 518, 521 proserpinus 518, 521 rutilus 518, 521 santamariae 519-521 spilopterus 217 undescribed species 514 venustus 216 xanthicara 518, 521 Noturus 38, 45 flavus 457-458 Novumbra hubbsi 832 Octopus 712-714 Oecetis spp. 332 Ogilbia 208 sp. 207 Oligodon 545 formosanus 543 Ololygon rubra 510 sp. 505, 507 Ompok 890-893 bimaculatus 892-893 Oncorhynchus 801 kisutch 711-712 Onuxodon 850 margarotoferae 947 Oostethus brachyurus 211 Opheodrys aestivus 543 Ophidion barbatum 208 rochei 208 Ophisaurus attenuatus 971 Ophrydium sp. 332-333 Opsanus tau 207 Orchomenella 386, 388 Orconectes propinguus 92 Oreophrynella quelchii 606 Ornithorhynchus anatinus 798 Oryzias latipes 953 Osmerus 725-728 eperlanus 725-727 eperlanus eperlanus 725 eperlanus mordax 725 mordax 725 mordax dentex 725-727 mordax mordax 725-726 spectrum 725 Osteocephalus verrucigerus 510 Oxyjulis californica 347, 349, 660 Oxyporhamphus 279-283, 287-290 convexus convexus 277 micropterus 281-283, 285, 287

Pachymedusa 511–512 dacnicolor 501, 606 Pagothenia borchgrevinki 387–391

micropterus micropterus 277

Oxyrhopus petola 543

"Palaemon" 899 Panchax buchanani 899 Pandanus 708 sp. 479 tectorius 708 Pandarus smithii 102, 107 Panicum hemaleyi 426 Papiliochromis 208-210 Pappichthys mongoliensis 465 Paraclinus marmoratus 344, 350 Paralabrax clathratus 349 Paralichthys lethostigma 434 Parexocoetus 276-277, 282-285, 288 brachypterus 280-283, 287 brachypterus brachypterus 277 Parupeneus porphyreus 454 Pelamis 383 platurus 663 Pelobates 597, 599 fuscus 595, 606 spp. 601 Pelodytes 597, 599 punctatus 596 Peltosaurus 549, 551-552 granulosus 550-551 minimus 549-553 Pelusios 859 Perca flavescens 955-957 Percina 561 crassa 805 roanoka 805-814 Periophthalmus koelreuteri 233 Peristedion weberi 292 Peristethus hians 293 investigatoris 292 Perognathus goldmani 938 Petromyzon 943-944 lamottenii 363 wilderi 363, 365 Petrotilapia 752 Petrotyx 497 Phareodus encaustus 530 Phenacobius 903 Philodryas 541 olfersi 543 Philoria 597 frosti 596 Philothamnus irregularis 543 Phoxinus neogaeus 903 phoxinus 1, 7-8 Phragmites communis 748 Phrynohyas 597 sp. 596 venulosa 606

Phrynomerus bifasciata 607

Phrynops 179-180 dahli 179

> geoffroanus 179 gibbus 179–181

hilarii 179 hogei 179-181 nasutus 179 rufipes 179-180 tuberculatus 179 tuberosus 179 vanderhaegei 179 wermuthi 179 Phrynosoma asio 972 cornutum 191, 822, 972 coronatum 972 douglassi 971-974 douglassi brevirostre 972 douglassi douglassi 972 douglassi hernandesi 972 douglassi ornatissimum 972 mcallii 815-823 modestum 972 ornatissimum 972 platyrhinos 815, 819, 838, 972 Phyllanthus urinaria 426 Phyllodactylus marmoratus 938 tuberculosus 770 Phyllomedusa 505-506, 510-512 baltea 501-504, 510-513 buckleyi 501, 508-509, 511 buckleyi group 510 coelestis 507 duellmani 501-507, 509-513 ecuatoriana 501-504, 507-508, 510-513 guttata 511 guttata group 511 hypocondrialis 506, 510 lemur 501 perinesos 501-506, 508-513 perinesos group 501-513 tarsius 507, 510 tomopterna 510-512 trinitatis 507 vaillanti 677 Physalaemus 636 gracilis 636-645 olfersi 636-645 pustulosus 606, 636-645 Physiculus 207 futous 207 sp. 207 Physocypria 316-318 pustulosa 309 Picea spp. 409 Pipa pipa 606 Pituophis 544-547, 791-792 catenifer 543 melanoleucus 148, 192, 542, 577-578 melanoleucus melanoleucus 192, 789, 791 Platemys 179 radiolata 179 spixi 179

Platybelone 276-280, 282, 287	Pristipoma
argalus 278-280, 282, 287	bicolor 614
argalus platyura 277	brasiliense 614
costatus 68	trilineatum 614
Platygobio 903	Procyon lotor 632
Platyrhinoides triseriata 468	Prognichthys 276-277, 282, 290
Platystacus chaca 895-896, 898	brevipinnis 277
Platysternon 60, 62, 64-65, 977	sealei 284
megacephalum 60-62, 977-978	Protopterus 945
megacephalum peguense 61	dolloi 468
Plecostomus 69	Prototroctes
cf. plecostomus 68	maraena 795–805
Plethodon 252	oxyrhynchus 795, 803
cinereus 247-253, 409-415, 475, 667, 670	Psammobatis 867–869, 872, 878, 882
glutinosus 54, 56, 58, 409, 412-413, 475	asper 867–873, 887
hoffmani 475	bergi 867–868, 872–873
jordani 409, 412–414	brevicaudatus 867-870, 873, 887
nettingi shenandoah 667	cf. brevicaudatus 870
vehiculum 475, 695, 698	caudispina 867–873, 887
Pleuragramma 389–391	chilcae 867–873, 887
antarcticum 386–391	cirrifer 868
Pleuronectes sp. 951	extenta 867–868, 872–873, 882
Pleurotaenium 170	lima 867–868, 870, 872–873, 888
Pleuroxus 316–318	maculatus 867–873, 887
denticulatus 309	microps 868, 887
striata 309	rudis 868
Plotosus 470	rutrum 868
canius 662	scobina 867–868, 870, 872–873, 877, 882–885
Poecilia 943	spinosissimus 868
chica 219–223, 296	spp. 870
	Psammodynastes 560
formosa 537 latipinna 222, 296–304, 380	Psammodynasies 500 Psammophis 545
mexicana 222	siblans 543
orri 136	Pseudacris 75, 77–79
reticulata 219, 300, 302	streckeri 577
	streckeri illinoensis 578
sphenops 222 Poeciliopsis 539	triseriata 73–80, 606
lucida 296, 302, 540	Pseudaphritis urvilli 798
monacha 540	Pseudaspis 545
monacha-lucida 540	cana 543
occidentalis 296, 563	Pseudechis porphyriacis 827
Pogonomyrmex 822	Pseudemys 394
badius 972	floridana 394, 398, 776–782
californicus 815–816, 820, 822	scripta 335, 398, 776–782
desertorum 822	
	scripta elegans 827, 976–977
magnacanthus 815–816, 820	Pseudoapistogramma 208–210
rugosus 822	Pseudobalistes flavimarginatus 731
spp. 816, 820	Pseudoeurycea
Polyarthra 316–318	bellii 187–188
vulgaris 309	brunnata 475
Polyodon 944	rex 474
spathula 212–214, 721–725	Pseudogeophagus 208–210
Polypedates leucomystax 606	Pseudophryne 597
Polypterus 942, 944, 946	bibroni 596
Pomacea 69	coriacea 596
Pomoxis 305, 309	occidentalis 596
annularis 307	Pseudoraja 878
Potamorrhaphis 285	Pseudotriton 476
guianensis 278	ruber 54, 56, 58, 125, 756
Prionace glauca 110-113, 255, 257	Pseudotropheus 752
Priscacara 530	Pseudotylosurus 282, 285

angusticeps 282 microps 282 Pseudotyphlops philippinus 543 Ptenopus spp. 770 Pterocladia capillacea 345, 347-348 Ptyas forros 543 Ptyodactylus spp. 770 Pycnocraspedum 497 Pylodictis 38 olivaris 465-466 Python curtus 195 molurus 194-195 molurus bivittatus 193-196 spilotes 543 Pythonodipsas 553-561 carinata 554-557, 560 Pyxicephalus 597, 600 sp. 596 Pyxis 861

Radinea occipitalis 543 Raia burgeri 888 marplatensis 887 microps 868, 887 mira 868 Raja agassizi 887 aguja 868 anacanthostyla 888 chilensis 888

clavata 111 echynorhyncha 887 eglanteria 111 lima 888 nitida 878 philippi 868 steindachneri 888

waitei 878 Rana 172, 596-597, 600-601 berlandieri 168-174 blairi 168, 172-173 cascadae 672 catesbeiana 92, 94-95, 191, 596

chalconota 91 clamitans 91-93, 95, 606, 695

fasciata 596 palustris 91-96 papua 596, 600

pipiens 168, 172-173, 189, 596, 607-608

pipiens pipiens 196-198 ridibunda 472 sphenocephala 168-174 sylvatica 91-96, 627-635 temporaria 627 utricularia 168, 367-373 Ranidella 597

riparia 596, 599 signifera 596

Regina 10, 544, 547 grahami 542-543 septemvittata 543 Remora remora 102, 107 Reporhamphus 280, 283, 287-290 Retropinna 802 retropinna 802 semoni 798

Rhabdophis 544, 546-547 tigrinus 542-543 Rhacochilus toxotes 349

Rhacophorus pardalis 606

Rhadinocentrus ornatus 334-335 Rhamdia sp. 68

Rhamphiophis oxyrhynchus 543 Rhamphochromis sp. 750-751

Rheobatrachus 598, 601-602 silus 596 Rhincodon typus 224-225

Rhineastes smithi 466 "Rhineastes" smithi 466 Rhinichthys 902-903

atratulus 711-712, 902-920 atratulus atratulus 902-916 atratulus lunatus 904

atratulus meleagris 902, 904-907 atratulus obtusus 902-916 atratulus simus 902, 904

atronasus 903 badius 904 cataractae 450, 902-903 cataractae dulcis 903 evermanni 902-903 falcatus 902-903 osculus 902-903

Rhinocheilus lecontei 543, 836 Rhinoderma darwinii 606

Rhinophis drummondhavi 543 Rhinophrynus 595

dorsalis 606 Rhizophora mangle 379 Rhombophrynus testuto 601 Rhyacosiredon 53

Rhynchorhamphus 276-277, 279-281, 283, 285, 287-290

gorgii 277, 281-283 Richardsonius balteatus 8 Rypticus saponaceus 229-230

Sagittaria subulata 368 Salmo 943 gairdneri 711-712, 830, 832 trutta 450, 711-712, 798 Salvadora grahamae lineata 192-193 hexalepsis 543 saman 323

Sargassum 708 muticum 347 Sarotherodon 34 elegans 46 cf. squamipinnis 750-751 mikanii 48 Satyrichthys Siganus sp. 662 adeni 292 Silurus 891 investigatoris 291-293 attu 890-891 boalis 891 Scalopus 937 mulleri 890 Scaphiodontophis annulatus 543 Scaphiopus Mülleri 891 bombifrons 351-355 Wallagoo 891 couchi 351-355 Simophis 545 couchii 606 rhinostoma 543 multiplicatus 351-355 Simplocos cinensis 426 Scaptochelys 852-867 Sinonatrix 541, 544, 546-547 agassizii 852, 854-858, 862-863, 865 annularis 542-543 auffenbergi 865 bericarinata 542-543 berlandieri 852, 854, 857, 863, 865 Siren 188 intermedia 186 laticunea 854, 859-860, 862, 864 Sistrurus 788 mohavense 854 Scartelaos viridis 233 miliarius 543, 701 spp. 701 Scarus taeniopterus 230-231 Sceloporus 15, 23-24, 920 Somniosus microcephalus 114 couchii 14 Sonneratia sp. 708 cozumelae 14 Sonora aemula 543 grammicus 920-941 Spalerosophis 553-561 jarrovi 839 diadema 554-555, 557-558 parvus 14 Sphagemacrurus grenadae 206 teapensis 14-27 Sphenodon punctatus 827 undulatus 360-361, 838, 920 Sphenophryne 597, 600 variabilis 14-27, 920 robusta 596 variabilis marmoratus 14-15, 20-21, 23-25 Sphoeroides sp. a 662 variabilis marmoratus × Sceloporus variabilis variabilis sp. b 662 variabilis olloporus 14-15, 17, 20-21, 23-24 Sphyraena barracuda 231 Sphyrna 224 variabilis smithi 14, 20-21, 24-25 variabilis teapensis 14, 22, 24-25 sp. 225 variabilis variabilis 14-15, 17, 20-25 Spilotes pullatus 543 Scleria lingulata 479 Spottobrotula 497, 500 Scleropages leichhardti 479 amaculata 497-500 mahodadi 497, 499-500 Scomberesox 286 saurus 277-280, 282, 284, 287 Squalogadus intermedius 206 Squalus acanthias 110, 114-115, 259 Scyliorhinus caniculus 115 Starksia 344 stellaris 115 Staurotypus 62-63, 480, 578, 859 Scyllium 259 salvinii 62 Sebastes 763-770 Stegonotus 545 mystinus 763-770 modestus 543 paucispinis 768 Stenorrhina freminvillei 543 Secutor Sterna maxima maxima 232 insidiator 202 Sternotherus odoratus 480-482, 776-778, 780-782 ruconius 202 Stizostedion vitreum vitreum 317 Semicossyphus pulcher 347, 349 Stokellia anisodon 802 Seminatrix 544, 547 Storeria 10, 544, 547, 788 pygaea 542-543 dekayi 543 Strongylura 276-280, 287 Seriola lalandei 714-717 incisa 278-279 Serranochromis robustus 752 Serrasalmus cf. spilopleura 68 leiura 278-282, 284, 287 leiura leiura 277 Setipinna sp. 662 Sibon notata 278 nebulata 543 strongylura 278 sartorii 24 Stylemys 854, 859-861

copei 854

Sibynomorphus

emiliae 854 neglecta 854 undabuna 854 Symbrachus

bengalensis 479 marmoratus 68

Sympterygia 867–890 acuta 867, 870, 872–874, 877–878, 880, 883–887 bonapartei 867–868, 870, 872–875, 877–880, 882–

brevicaudata 867, 874, 876–877, 880–881, 884–887 lima 867, 873–874, 877–878, 880, 882–886, 888 spp. 870, 884

Synechopterus caudovittatus 268

Syngnathus 210-211 uncinatus 210-212

Syringodium filiforme 162 isoetifolium 184

Tachysurus maculatus 662

Taenioides sp. a 662

sp. b 662 sp. c 662

Takydromus stejnegeri 430 Talpa 937

Tamarindus indica 323

Taricha granulosa 185–186

rivularis 414 Taudactylus 597

acutirostris 596 diurnus 596

Telescopus semiannulatus 543

Telmatobius 512 marmoratus 606 Tenebrio molitor 972 Terminalia catapa 708 Terrapene 977–978 carolina 394–399

carolina carolina 977 ornata 577-578

Testudo 854-855, 861, 864

atascosae 854 graeca 201

hollandi 854 laticaudata 854 milleri 854

pertenuis 854 polyphemus 854

praeextans 854 uintensis 859

"Testudo" uintensis 859-860

Thalassoma

bifasciatum 654–655, 657–658 lucasanum 653–661

Thalassophina viperina 663 Thamnodynastes sp. 543 Thamnophis 10-13, 91, 96, 98-101, 148, 155, 248, 251, 544, 547, 788-794

544, 547, 788–794 butleri 10–13, 98–101

couchi 248

couchi hammondi 831

couchii 543

elegans 247-253, 472

elegans vagrans 789

proximus 10

radix 11-13, 148, 789 sauritus 11, 98-101

sirtalis 10–13, 98–101, 252, 472, 649, 788–792

sirtalis fitchi 789–790 sirtalis sirtalis 789–790, 792

Thelotornis capensis 543 Thermosphaeroma milleri 519

Thomomys 937

Thrasops jacksoni 543 Thunnus atlanticus 626

Tilapia 34 aurea 35

mossambica 232

Toluca conica 543

Tomodon dorsalis 543 Trachonurus sulcatus 206

Trachurus symmetricus 714–715

Trachycorystes sp. 68 Trachyrhamphus 210 Trematomus 389

bernacchii 387–392 centronotus 387–388, 391 hansoni 387–388, 391 lepidorhinus 386–387, 391

loennbergii 387–388, 390–391 newnesi 387–388, 391

nicolai 387–388, 391 Tretanorhinus nigroluteus 543

Triacanthus 730 brevirostris 729–732 strigilifer 730

Triaenodon obesus 114–115 Triakis semifasciata 115

Tribolodon hakonensis 7 Trichiurus sp. 662

Trigla

africana 293, 294

hirundo 292 lastoviza 293–294

lineata 293 lyra 292

queketti 294 Trigloporus 294

africanus 291, 293–294 lastoviza 291, 294

lastoviza africanus 292–294

lastoviza lastoviza 294 Trimeresurus albolabris 555 flavoviridis 555 macrosquamatus 555 monticola 555 okinavensis 555 puniceus 555 stejnegeri 543, 555 sumatranus 555 wagleri 555 Frimorphodon 545, 559–

Trimorphodon 545, 559–560 tau 543

Trionyx 480 ferox 827

spiniferus 394-399, 699-700

Triplectides sp. 333 Tristramella 28, 34–35 magdalenae 35 sacra 34, 36 simonis 34

simonis intermedia 36 Tropidoclonium 544, 547 lineatum 543, 577–578 Tropidophis haetianus 543

Trypauchen sp. a 662

sp. b 662 Tylosurus 276–280, 282, 287 acus 278, 282, 284, 287 crocodilus 277–280

Typha 519 sp. 748

Typhlops vermicularis 543

Uca sp. 380 Uperoleia 597 sp. 596 Uroderma bilobatum 937 Urolophus halleri 468 Uropeltis liura 543 Uta 835 stansburiana 489, 835–840 Utricularia sp. 332–333

Vampyressa pusilla 937 Varanus acanthurus 784–787 caudolineatus 786 bengalensis 786 eremius 786 rosenbergi 786 spenceri 786–787 tristis 786 Ventrifossa atlantica 206

atlantica 206 macropogon 206 mucocephalus 206 Veromessor pergandei 815–816, 820 Vipera 148

aspis 148, 337, 543 berus 148–157, 701 palaestinae 337, 342 xanthina 155, 555–556 Virginia 789

Waglerophis merremi 543
Wallago 890–894
attu 890–891, 895
attu valeya 891
krattensis 890, 893
leerii 890–894
maculatus 890–893
miostoma 890, 892
nebulosus 890–893
Russellii 891
tweediei 890, 893
Wallagonia 890
Wallagonia tweediei 891

Xenochelys 578 Xenochrophis 541, 544, 546-547 piscator 542-543 Xenodon neuweidi 543 Xenopeltis unicolor 543 Xenopus 598, 601 capensis 595 laevis 606, 695-698 muelleri 595 Xerobates 854 agassizii 853 Xestobs 552 Xiphophorus 129, 145, 296 helleri 296 maculatus 129, 296, 300, 302 maculatus × Xiphophorus helleri 129 montezumae 296 pygmaeus 296 variatus 296, 302

Yozia 210

cirrhatus 266

clarus 265, 272

Zenarchopterus 265–276, 279–281, 283, 285, 287, 289–290
alleni 265–276
amblyurus 265
atrodorsalis 265
basudensis 265
beauforti 265, 272
beccari 266, 272
bleekeri 266
borneensis 265
brevirostris 265
buffonis 265, 268, 272, 277, 287
cagayensis 266
caudovitatus 265, 268, 272, 274

1

cotnog 266 dispar 265, 272 dunckeri 265, 268, 272 dux 266 ectuntio 265, 272, 274 gilli 265, 268, 272, 277, 281–283 hendersoni 265 kampeni 265–272, 274–275 kneri 266 maculosus 265 magatensis 265 novaeguineae 265–275 pappenheimi 265, 272 philippinus 265 quadrimaculatus 265, 272 rasori 265, 268, 272 robertsi 265–276 sepikensis 265, 274–275 vaisiganis 265 xiphophorus 265, 272 Zoochlorella parasitica 332–333 Zygogonium ericetorum 333 kumaoense 333

SUBJECT INDEX

COPEIA, 1982, Nos. 1-4

ACOUSTICOLATERALIS SYSTEM, of beloniform fishes (scomberesocids, belonids, hemiramphids, exocoetids) 276–291.

ACTIVITY, Chelonia mydas, Caretta caretta (activity patterns in lagoon) 161–167; Cnemidophorus (Neomexicanus, sexlineatus, tesselatus) (activity patterns compared) 416–424.

ALIMENTARY CANAL, Esox masquinongy (development in larvae) 717-719.

ANOMALIES, Polyodon spathula (blindness in) 212-214

BEHAVIOR, Brachydanio rerio (to alarm substance) 1-9; Caiman crocodilus (fishing; aggregation) 66-72; Ambystoma tigrinum (prey-catching) 81-90; Vipera berus (role of chemoreception in reproductive behavior) 148-157; Notophthalmus viridescens (unusual aggregation of adults) 185-186; Salvadora grahamae lineata (precoital head-biting) 192-193; Python molurus bivittatus (courtship & spur use) 193-196; Mauremys (Clemmys) caspica (nonswimming related to lung disorder) 200-201; Labroides dimidiatus (cleaning of sharks) 225-227; Epibulus insidiator (off-reef emigration) 227–229; Gymnothorax moringa, Muraena miliaris, Myrichthys acuminatus (interspecific interactions with other reef fishes) 229-232; Plethodon cinereus (antipredator behavior) 247-253; Agkistrodon piscivorus, Naja haje (prey-capture) 337-343; Heterostichus rostratus (reproductive behavior, courtship, spawning, parental care) 344-350; Plethodon cinereus (homing) 409-415); Cnemidophorus (neomexicanus, sexlineatus, tesselatus) (space use & activity) 416-424; Carassius auratus (response to deoxygenated water) 434-439; Gambusia affinis, Lucania parva, Lepomis macrochirus (prey escape response/predator counter strategy) 455-457; Natrix maura (predatory behavior & temperature) 472-474; Pythonodipsas carinatus (prey handling) 553-561; Exoglossum maxillingua (eye-picking) 711-712; Gobiosoma evelynae? (cleaning of octopus) 712-714; Seriola lalandei (cooperative foraging) 714-717; Sebastes mystinus (courtship) 763-770; Hemidactylus turcicus (vocal behavior) 770-775; Thamnophis elegans (response to airborne chemical cues) 788-794; Chaca bankanensis (angling) 895-901; Rhinichthys atratulus (reproductive behavior) 902-920; Cephaloscyllium ventriosum (feeding) 948-952; Caretta caretta (hatchling movements) 963-965; Eumeces fasciatus (egg-eating) 969-971; Phrynosoma douglassi (mating & courtship) 971-794.

BLOOD, Ambystoma jeffersonianum (erythrocyte area & ploidy determination) 485–488.

BREEDING, Bufo woodhousei, Scaphiopus (bombifrons,

couchi, multiplicatus) (nonrandom mating) 351–355; Agkistrodon controtrix (brood from autumn copulations) 700–702; Varanus acanthurus (breeding season) 784–787.

BREEDING TUBERCLES, Notropis (lutrensis × callitaenia) 214–217; Prototroctes maraena 795–805.

BUOYANCY, in notothenioid spp. 385-393.

CALLS, Rana p. pipiens (importance of lung inflation to release calling) 196–198; Physalaemus pustulosus (functional analysis, mechanism of call production) 636–645; Hemidactylus turcicus (vocal repertoire & behavior) 770–775.

CHEMORECEPTION, Brachydanio rerio (of alarm substance) 1–9; Thamnophis (butleri, radix, sirtalis) (of species-specific sex pheromones) 10–13; Ambystoma tigrinum (olfactory cues in feeding) 81–90; Vipera berus (vomeronasal organs, role in reproductive behavior) 148–157; Poecilia chica (reproductive pheromone) 219–223; Alligator mississippiensis (responses to chemical stimuli) 705–708; Thamnophis (elegans, sirtalis) (responses to air-borne chemical olfactory cues) 788–794.

CHROMOSOMES, Chelydra serpentina subspp., Chinemys reevesi, Cyclemmys dentata, Cuora amboinensis, Macroclemys temminchi, Platysternon megacephalum (karyotypes) 60–66; Ictalurus (melas, natalis) (interspecific & intraspecific chromosome polymorphism) 457–460; Ambystoma jeffersonianum complex (erythrocyte area & ploidy determination) 485–488; Arothron (immaculatus, leopardus, reticularis), Gastrophysus lunaris, Triacanthus brevirostris (karyotypes) 728–732; Sceloporus grammicus (chromosome races) 920–941.

CLEANING, Labroides dimidiatus (of sharks) 225-227; Gobiosoma evelynae? (of octopus) 712-714.

COLORATION, Parupeneus porphyreus, Fistularia petimba (concealment patterns) 454–455; Centropomus und cimalis (larval pigmentation) 618–627; Gasterosteus aculeatus (melanism in high-elevation popn.) 829–835; Rhinichthys atratulus subspp. (nuptial coloration) 902–920.

CONVERGENCE, Pythonodipsas & Spalerosophis (convergence in viper morphology) 553–561.

COURTSHIP, Python molurus bivittatus 193–196; Heterostichus rostratus 344–350; Sebastes mystinus 763– 770; Phrynosoma douglassi 971–974.

DENTITION, Carcharhinus signatu (ontogenetic heterodonty) 102-109.

DEVELOPMENT, Brachydanio rerio (ontogenetic development to alarm substance) 1–9; Ambystoma maculatum, Bufo americanus, Hyla crucifer, Notoph-

thalmus viridescens, Rana (clamitans, palustris, sylvatica) (premetamorphic vs. late metamorphic palatability of larvae to predators) 91–97; Carcharhinus signatus (ontogenetic heterodonty) 102–109; Cyclorana cryptotis (early development) 260–264; Centropomus undecimalis (of larvae) 618–627; Nerodia taxispilota (embryonic development) 646–652; Esox masquinongy (alimentary canal development in larvae) 717–719; Eurycea (bislineata, junaluska) (larval development) 755–762.

DISTRIBUTION, Iranocichla hormuzensis (relict distribution, so. Iran) 28–37; Gambusia (luma nicaraguensis, puncticulata yucatana, sexradiata) (in Belize) 128–147; Phrynops hogei (in SE Brazil) 179–181; Cyclorana cryptotis (in Australia) 260–264; Ambloplites cavifrons (in North Carolina, Virginia) 581–594; Anisotremus moricandi (SW Caribbean) 613–618; (fish dispersal by floating islands in Lake Malawi) 748–754; Phrynosoma meallii (in California) 815–823; Echiodon (dawsoni, dentatus, drummondi, exsilium) 845–851; Wallago (attu, leerii, maculatus) (in S & SE Asia) 890–894; Chaca (bankanensis, chaca) 895–901; Lepomis (gibbosus, macrochirus) (vertical distribution of young-of-year) 958–950.

- ECOLOGY, Plethodontidae (body size relationship to altitude) 186–188; notothenioids (relationship to buoyancy) 385–393; Japalura swinhonis formosensis (popn. ecol.) 425–434; Phyllomedusa perinesos group (in cloud forests of Ecuador, Peru) 501–513; Anisotremus moricandi (in rocky reefs) 613–618; Cottus (beldingi, perplexus, rhotheus) (niche interrelationships) 680–694; Etheostoma (flabellare, podostemone), Percina roanoka (comp. ecol.) 805–814.
- EGGS, Ambystoma maculatum (variation in clutch & egg size) 157–160; Dermochelys coriacea 181–183; Holbrookia maculata (size) 356–362; Etheostoma perlongum (eggs, larvae, development) 561–567; Eurycea (bislineata, junaluska) (egg-laying) 755–762; Eumeces fasciatus (egg-eating) 969–971.

ELECTRORECEPTION, Latimeria chalumnae (function of rostral organ) 467–471; Cephaloscyllium ventriosum (prey detection from bioelectric fields)

948-952.

ELECTROPHORESIS, Hyla (andersonii, cinerea) (genetic distances between popn.) 175–178; Etheostoma (blennioides, caeruleum, flabellare, nigrum, spectabile) (muscle proteins) 217–219; Catostomus santaanae (genetic variability in Santa Clara basin) 439–444; Catostomus plebeius (popn. affinities in Mexico) 444–449; Menidia clarkhubbsi n. sp. (unique combination of electrophoretic & morphological characters) 533–540; Polyodom spathula (genetic variability) 721–725; Osmerus (eperlanus, mordax) (genetic relationships) 725–728; testudinid turtles (serum proteins) 976–978.

EMIGRATION, Epibulus insidiator (off-reef emigra-

tion) 227-229.

EVOLUTION, Platysternon (and other testudinoid turtles) (chromosomal) 60–66; floating islands & speciation (Lake Malawi) 748–754; Scaptochelys spp., Gopherus spp. 852–867.

EYES, Polyodon spathula (blindness in) 212–214; Exoglossum maxillingua (eye-picking behavior) 711–

712.

FECUNDITY, Lampetra appendix (in NE Tennessee) 362–366.

FEEDING, Pseudacris triseriata (postmetamorphic ontogenetic relationship to) 73–80; Ambystoma tigrinum (response to visual/chemical cues) 81–90; Etheostoma (flabellare, podostemone), Percina roanoka (feeding chronology) 805–814; Cephaloscyllium ventriosum (feeding behavior, detection of prey) 948–952; Eumeces fasciatus (egg-eating) 969–971.

FLOATING ISLANDS, fish dispersal by (Lake Ma-

lawi) 748-754.

- FOOD, Pseudacris triseriata (food niche, predator/prey size) 73–80; Lepomis (auritus, cyanellus, gibbosus, gulosus, macrochirus), Micropterus salmoides, Pomoxis annularis (relation to growth) 305–321; Anolis acutus (relationship of food intake & reproduction) 322–330; Emydura krefftii (diet in a nutrient-deficient lake) 331–336; marine snakes (diets of) 661–666; Etheostoma (flabellare, podostemone), Percina roanoka (comparisons of diet) 805–814; Caretta caretta (development of food preference) 965–969.
- FUNCTION, Leiognathus fasciatus (spine-locking mechanism) 202–205; Scaptochelys spp., Gopherus spp. (cranial, vertebral, carpal functional morphology) 852–867.
- GASTRIC WALL, Crotalus atrox (histology & histochemical stress changes in) 198–200.
- GENETICS, Polyodon spathula (low genetic variability) 721–725; Osmerus (eperlanus, mordax) (genetic relationships) 725–728.
- GEOGRAPHIC LOCALITIES, Africa, triglids, peristediids (southern) 291–295; (Lake Malawi) 748– 754.
 - Alabama, Notropis lutrensis × N. callitaenia 214–217. Antarctica, notothenioid fishes (McMurdo Sound) 385–393.
 - Australia, Cyclorana cryptotis (N.T., W.A.) 260–264; Emydura krefftii (Queensl.) 331–336; Crocodylus porosus 478–480; Varanus acanthurus 784–787; Prototroctes maraena (Victoria) 795–805.

Belize, Sceloporus variabilis teapensis 14-27.

Brazil, Caiman crocodilus (Mato Grosso) 66-72; Phrynops hogei 179-181.

California, Heterostichus rostratus 344–350; Catostomus santaanae 439–444; Phrynosoma mcallii 815– 823; Gasterosteus aculeatus 829–835.

China, Pappichthys mongoliensis (late Eocene, Inner Mongolia) 465–467.

Colombia, Anisotremus moricandi 613-618.

Connecticut, Ambystoma maculatum 157-160.

Costa Rica, Carcharhinus leucas 110–116; Bolitoglossa subpalmata 474–478.

Ecuador, Dipsas (elegans, oreas) 46-51; Phyllomedusa (baltea, duellmani, ecuatoriana, perinesos) 501-513.

Florida, Chelonia mydas, Caretta caretta 161–167; Hyla (andersonii, cinerea) 175–178; Rana utricularia 367– 373; Crocodylus acutus (Fla. Bay) 374–385; Gambusia affinis, Lucania parva, Lepomis macrochirus (Everglades) 455–457.

Georgia, Caretta caretta 400-408; Caretta caretta 963-965.

Guatemala, Sceloporus variabilis teapensis 14–27. Gulf of Mexico, Echiodon dawsoni 845–851.

Indiana, Bufo woodhousei 672-680.

Indonesia, Chelonia mydas, Dermochelys coriacea, Eretmochelys imbricata 708–710.

Iraq, Mauremys (Clemmys) caspica 200-201.

Iran, Iranocichla hormuzensis 28-37.

Malaysia, Brachymeles apus (N. Borneo) 840-844.

Massachusetts, Notophthalmus viridescens 185–186.
Mexico, Sceloporus variabilis teapensis 14–27; Catostomus plebeius (Durango, Zacatecas) 444–449; Notropis (bocagrande, formosus) 514–522; Kinosternon flavescens 567–580; Dermochelys coriacea (Michoacan, Guerrero, Oaxaca) 741–747; Sceloporus

grammicus 920–941. Michigan, Plethodon cinereus 409–415.

Montana, Cottus bairdi (450–453).

Nevada, Ictalurus (Amiurus) hazenensis 38–46; Uta stansburiana 835–840.

North Atlantic, Carcharhinus signatus 102-109.

Nebraska, Holbrookia maculata 356-362; Peltosaurus minimus 549-553.

New Guinea, Zenarchopterus (alleni, robertsi) 265–276. New Jersey, Dermochelys coriacea 181–183.

New Mexico, Bufo woodhousei, Scaphiopus (bombifrons, couchi, multiplicatus) 351-355.

New York, Carcharodon carcharias 254–260. Nicaragua, Carcharhinus leucas 110–116.

North Carolina, Eurycea (bislineata, longicauda guttolineata) 117–127; centrarchids in piedmont lakes 305–321; Etheostoma perlongum 561–567; Ambloplites cavifrons 581–594; Eurycea (bislineata, juna-

luska) 755-762. Ontario, Lepomis (gibbosus, macrochirus) 958-960.

Pennsylvania, Rana sylvatica 627-635.

Philippines, Spottobrotula amaculata 497-500.

Saint Paul's Rocks, shark spp. 223-225.

Samoa, Chelonia mydas 183-185.

South Africa, Hyporhamphus (delagoae, improvisus) 719–721.

South & Southeast Asia, Wallago (attu, leerii, maculatus) 890–894; Chaca (bankanensis, chaca) 895–901.

South Carolina, Deirochelys reticularia, Kinosternon subrubrum, Pseudemys (floridana, scripta), Sternotherus odoratus (Savannah R.) 776–784.

Spain, Natrix maura 472-474.

Taiwan, Japalura swinhonis formosensis 425-434.

Tennessee, Lampetra appendix 362-366; Ictalurus

(melas, natalis) 457-460; Dorosoma petenense 952-955

Texas, Sceloporus variabilis teapensis 14-27; Menidia clarkhubbsi (Gulf coast) 533-540.

United States, Kinosternon flavescens (centr. & so. centr.) 567–580.

Virgin Islands, Anolis acutus (St. Croix) 322-330.

Virginia, Ambloplites cavifrons 581–594; Nerodia taxispilota 646–652; Etheostoma (flabellare, podostemone), Percina roanoka 805–814; Rhinichthys atratulus 902–920.

Wyoming, Amyzon gosiutensis (Green R. Formation) 523–532.

GROWTH, Carcharhinus leucas (rates & longevity from tagging in Lake Nicaragua-Rio San Juan system) 110–116; Eurycea (bislineala, longicauda guttolineata) (implications of variability in larval growth) 117–127; Poecilia latipinna (indeterminate growth in males) 296–304; Micropterus salmoides, Lepomis (auritus, cyanellus, gibbosus, gulosus, macrochirus), Pomoxis annularis (relationship to zooplankton abundance) 305–321; Japalura swinhonis formosensis (rates) 425–434; Bolitoglossa subpalmata (rates & age at maturity) 474–478; Etheostoma perlongum (age, growth, Lake Waccamaw) 561–567.

HABITAT, Rana utricularia (partitioning in larvae) 367–373; notothenioids (habitat types in relation to buoyancy) 385–393; Japalura swinhonis formosensis (partitioning by sex) 425–434; Ambloptites cavifrons 581–594; Cottus (beldingi, perplexus, rhotheus) (usage by species) 680–694; Etheostoma (flabellare, podostemone), Percina roanoka (habitat comparisons) 805–814.

HISTOLOGY, Crotalus atrox (histochemical stress changes of gastric wall cells) 198–200.

HOME RANGE, Plethodon cinereus (in N Michigan) 409–415; Japalura swinhonis formosensis 425–434.

HYBRIDIZATION, Notropis lutrensis & N. callitaenia (Apalachicola drainage) 214–217; Ambloplites cavifrons & A. rupestris (up. Roanoke) 581–594.

IMMUNODIFFUSION, natricine snakes (comp. immunodiffusion survey of transferrins) 541–549.

INTRODUCTIONS, Ambloplites rupestris (into centr. Atlantic slope drainages) 581–594.

LARVAE, Eurycea (bislineata, longicauda guttolineata) (variation in larval periods) 117-127; Rana (berlandieri, sphenocephala) (morphol. differentiation of) 168-174; Rana utricularia (habitat partitioning & size classes) 367-373; Etheostoma perlongum (early life history) 561-567; Centropomus undecimalis (development) 618-627; Esox masquinongy (alimentary canal development) 717-719; Eurycea (bislineata, junaluska) (larval development) 755-762.

LIFE HISTORY, Carcharhinus signatus (off e. coast

U.S.) 102–109; Lampetra appendix (life cycle in ne. Tennessee) 562–366; Etheostoma perlongum (early life history) 561–567; Eurycea (bislineata, junalus-ka) (life history traits) 755–762; Protoroctes maraena (in Tambo R., Australia) 795–805.

LIPIDS, Macrouridae, Moridae, Ophidiiformes (in swimbladders) 205–208; deposits in nototheni-

oids 385-393.

LOCOMOTION, Necturus maculosus, Xenopus laevis (temp. effects on sprint performance) 695–698.

LUNG, Mauremys (Clemmys) caspica (disorders related to non-swimming) 200-201.

MATING, Salvadora grahamae lineata 192–193; Phrynosoma douglassi 971–974.

METABOLISM, Carcharodon carcharias (rates) 254-260.

METAMORPHOSIS, Eurycea (bislineata, longicauda guttolineata) (variation in metamorphic size & age) 117–1127.

MIGRATION, Dermochelys coriacea (data on) 181-183. MORPHOLOGY, Leiognathus fasciatus (fin-spinelocking mechanism) 202-205; Macrouridae, Moridae, Ophidiiformes (swimbladder deposits) 205-208; Cyclorana cryptotis 260-264; Pythonodipsas, Spalerosophis (convergence on viper morphol.) 553-561; Kinosternon flavescens (geogr. & nongeogr. morphol. variation) 567-580; Anura (tongue musculature) 595-602; frog (postcranial morphol., functional analysis) 603-613; Physalaemus pustulosus (laryngeal morphol.) 636-645; Scaptochelys spp., Gopherus spp. (cranial, vertebral, carpal morphol. & function (852-867); Sympterygia (acuta, bonapartei, brevicaudatus, lima) neurocranium & claspers, comparisons of) 867-890; Sceloporus grammicus (morphol. variation in 3 races) 920-941; Lepomis macrochirus, Esox niger, Perca flavescens (sperm morphol. under SEM) 955-

MORPHOMETRY, Phyllomedusa perinesos group (morphometric ratios of body parts) 501–513.

MOVEMENTS, Caretta caretta (monitored by satellite telemetry) 400–408; Plethodon cinereus (daily movements monitored by CO⁶⁰ tagging) 409–415; Cottus bairdi (summer, nonbreeding movements) 450–453; Caretta caretta (of hatchlings) 963–965. MUSCULATURE, in notothenioids 385–393.

NESTING, Chelonia mydas, Dermochelys coriacea, Eretmochelys imbricata (in Indonesia) 708–710; Dermochelys coriacea (in Pacific Mexico) 741–747.

ORIENTATION, Chrysemys picta, Terrapene carolina, Trionyx spinifer (compass orientation to solar & geotaxtic cues) 394–399.

OSTEOLOGY, Cyclorana cryptotis 260–264; Centropomus undecimalis (development in larvae) 618–627.

OVIPOSITION, Rana sylvatica (influence of temp. & site characteristics) 627–635.

OXYGEN, Carassius auratus (behavioral response to deoxygenated water) 434–439.

PALEONTOLOGY, Ictalurus (Amiurus) hazenensis (n. sp. from Truckee Formation, Nev.) 38–46; Pappichthys mongoliensis (late Eocene of Inner Mongolia) 465–467; Amyzon gosiutensis (n. sp. from mid. Eocene of Green R. Formation) 523–532; Peltosaurus minimus (Miocene of Nebr.; reassigned to Eumeces) 549–553; Scaptochelys spp. (mid. Oligocene to Recent), Gopherus spp. (mid. Miocene to Recent) 852–867.

PHYSIOLOGY, Crocodylus acutus (physiol. effects of high salinity on young) 374-385.

PITUITARY, Latimeria chalumnae (evidence for relationship with Chondrichthyes) 942–948.

POPULATION, Chelonia mydas, Caretta caretta (popn. size & structure in lagoon habitat) 161–167; Japalura swinhonis formosensis (popn. ecol., size, survivorship, sex ratios) 425–434; Catostomus santaanae (popn. structure in Santa Clara drainage, S Calif.) 439–444; Catostomus plebeius (genetic differentiation among Mexican popn.) 444–449; Dermochelys coriacea (world popn. status) 741–747; Prototroctes maraena (status) 795–805; Phrynosoma mcallii (relative abundance, S Calif.) 815–823; Gasterosteus aculeatus (melanism in high-elevation popn.) 829–835.

PREDATION, Ambystoma tigrinum (visual & olfactory roles) 81-90; Ambystoma maculatum, Bufo americanus, Hyla crucifer, Notophthalmus viridescens, Rana (clamitans, palustris, sylvatica) (palatability to predators) 91-97; Plethodon cinereus (antipredator defenses to Thamnophis elegans) 247-253; Agkistrodon piscivorus, Naja haje (prey-capture behavior) 337-343; Gambusia affinis, Lucania parva, Lepomis macrochirus (predator/prey interactions) 455-457; Natrix maura (predatory behavior & temperature) 472-474; marine snakes (prey of) 661-666; Seriola lalandei (cooperative foraging) 714-717; Thamnophis (elegans; sirtalis) (predatory recognition by airborne chemical cues) 788-794; Cephaloscyllium ventriosum (bioelectric-mediated predation) 948-952.

REPRODUCTION, Vipera berus (role of chemical communication in reprod. behavior) 148–157; Salvadora grahamae lineata (coital behavior) 192–193; Python molurus bivittatus (courtship & spur use) 193–196; Poecilia chica (reprod. pheromone) 219–223; Anolis acutus (relationship between food intake & reprod.) 322–330; Heterostichus rostratus (reprod. behavior) 344–350; Holbrookia maculata (reprod. in W Nebr.) 356–362; Lampetra appendix (reprod. & fecundity in Tenn.) 362–366; Menidia clarkhubbsi (gynogenetic mode of reprod.) 533–

540; Rana sylvatica (temp. & site characteristics influencing oviposition) 627-635; Nerodia taxispilota (reprod. cycle) 646-652; Thalassoma lucasanum (mating systems) 653-661; Agkistrodon contortrix (brood from autumn copulations) 700-702; Chelonia mydas, Dermochelys coriacea, Eretmochelys imbricata (nesting in Indonesia) 708-710; Sebastes mystinus (courtship behavior) 763-770; Deirochelys reticularia, Kinosternon subrubrum, Pseudemys (floridana, scripta), Sternotherus odoratus (variation in reprod. characteristics) 776-784; Dorosoma petenense (timing of spawning) 952-955; Agkistrodon contortrix (and other snakes) (annual or biennial reprod.) 961-963.

ROSTRAL ORGAN, Latimeria chalumnae (electroreception function) 467–471.

SALINITY, Crocodylus acutus (high salinity as limiting factor in Fla. Bay) 374–385.

SEROLOGY, testudinid turtles (serum protein comparisons) 976–978.

SEX, Kinosternon flavescens, Sternotherus odoratus (sex determination & incubation) 480–482; Chelonia mydas (sex ratios & incubation temps.) 482–485; Menidia clarkhubbsi (unisexual female species) 533–540; Nerodia taxispilota (sex ratio in SE Virg.) 646–652; Thalassoma lucasanum (sex change, sexual demography) 653–661; Trionyx spiniferus (sex not determined by incubation temp.) 699–700; Varanus acanthurus (sex ratio) 784–787; Nerodia (fasciata, taxispilota) (sexual dimorphism) 974–976.

SIZE, Plethodontidae (altitude & body size) 186–188; Plethodon cinereus (as antipredator defense) 247– 253; Holbrookia maculata (size at maturity; follicle & egg size) 356–362; Rana utricularia (size classes & spatial distr.) 367–373; Nerodia taxispilota (body size dimorphism) 646–652; Bufo woodhousei (body size & orientation in tadpole aggregations) 672– 680; Deirochelys reticularia, Kinosternon subrubrum, Pseudemys (floridana, scripta), Sternotherus odoratus (body size & clutch size) 776–784; Varanus acanthurus (body size & clutch size) 784–787; Nerodia (fasciata, taxispilota) (body-size dimorphism) 974– 976.

SKELETONS, of notothenioids 385-393.

SKIN SECRETIONS, Plethodon cinereus (as antipredator defense) 247–253; Ambystoma tigrinum (as antipredator defense) 667–671.

SPAWNING, Dorosoma petenense (timing of) 952–555.
SPERMATOZOA, Ambystoma (annulatum, sp.), Aneides aeneus, Desmognathus (fuscus, monticola), Eurycea longicauda, Gyrinophilus porphyriticus, Leurognathus marmoratus, Notophthalmus viridescens, Plethodon glutinosus, Pseudotriton ruber (morphology, interfamilial differences) 52–60.

SWIMBLADDER, Macrouridae, Moridae, Ophidiiformes (deposits in) 205–208.

SYMBIOSIS, Labroides dimidiatus (cleaning of sharks) 225–227; Gobiosoma evelynae? (cleaning of octopus) 712–714.

SYSTEMATICS, Iranocichla hormuzensis (relationships) 28-37; Ictalurus (Amiurus) hazenensis (relationships) 39-46; Dipsas (ellipsifera jr. synon. of elegans; Leptognathus andrei jr. synon. of D. oreas) 46-51; Platysternidae (relationships, status of) 60-66; Carcharhinus signatus (Hypoprion bigelowi a jr. synon.) 102-109; Gambusia (luma, nicaraguensis, puncticulata yucatan complex, sexradiata) (ecol., geogr. variation) 128-147; Hyla (andersonii, cinerea) (genetic distances between popn.) 175-178; Phrynops hogei (taxonomic status) 179-181; Microgeophagus, Pseudoapistogramma, Pseudogeophagus, Papiliochromis (status of) 208-210; Bhanotia fasciolata (Syngnathus uncinatus a jr. synon. of B. fasciolata) 210-212; Zenarchopterus (alleni, robertsi) (n. spp. descr.) 265-276; of beloniform families 276-291; of S African Triglidae, Peristediidae 291-295; Carcharhinus (brevipinna, limbatus) (distinguishing characters) 461-465; Spottobrotula amaculata (n. sp. descr.) 497-500; Notropis (bocagrande n. sp., formosus; N. santamariae & N. mearnsi jr. synon. of N. formosus, lutrensis-complex) 514-522; Amyzon gasiutensis (n. sp. from mid. Eocene of Green R. Form.) 523-532; Menidia clarkhubbsi n. sp. (Texas) 533-540; natracine snake relationships (from immunodiffusion studies) 541-549; Kinosternon flavescens (subspp.) 567-580; Ambloplites (cavifrons, rupestris) (status of) 584-594; Anisotremus moricandi (rediscovery, redescr.) 613-618; Hyporhamphus (delagoae, improvisus) (status) 719-721; Brachymeles apus n. sp. (N Borneo) 840-844; Echiodon (dawsoni n. sp., dentatus, drummondi, exsilium) 845-851; Scaptochelys, Gopherus (generic revision & evolution) 852-867; Sympterygia (acuta, bonopartei, brevicaudatus, lima) (Psammobatis asper, caudispina, chilcae & maculatus jr. synon. of S. brevicaudata; descr., keys, phylogenetic analysis) 867-890; Wallago (attu, leerii, maculatus) (W. nebulosus & W. tweedii jr. synon. of W. leerii) 890-894; Chaca (bankanensis, chaca) (revision) 895-901; Rhinichthys atratulus (review of spp.-subspp. groups) 902-920; Latimeria chalumnae (relationships with Chondrichthyes) 942-948.

TADPOLES, Rana utricularia (size & spatial distr., habitat partitioning) 367–373; Bufo woodhousei (size & orientation in aggregations) 672–680.

TAGGING, Carcharhinus leucas (for age & growth studies) 110–116; Caretta caretta (satellite telemetry) 400–408; Plethodon cinereus (Co⁶⁰ radio-tags to study daily movement, home range & homing) 409–415; Cottus bairdi (with fluorescent ink to study summer movements) 450–453.

TAIL LÓSS, Thamnophis (butleri, sauritus, sirtalis) (frequency with size; mortality from) 98–101; Plethodon cinereus (as antipredator behavior) 247–253; Nerodia taxispilota (frequency) 646–652; Uta stansburiana (frequency) 835–840.

TELEMETRY, Rana pipiens (new potting material for radio-telemetry packages) 189; Caretta caretta

(satellite telemetry of, in Georgia Bight) 400–408; Agkistrodon controtrix, Crotalus horridus (radio-telemetry implantation method) 702–705; Caretta caretta (radio-telemetry; hatchling movements) 963–965.

TEMPERATURE, Carcharodon carcharias (muscle temp. vs. water temp.) 254–260; Natrix maura (relationship to predatory behavior) 472–474; Kinosternon flavescens; Sternotherus odoratus (incubation temp. & sex determination) 480–482; Chelonia mydas (incubation temps. & sex ratios) 482–485; Rana sylvatica (thermal properties influencing oviposition sites) 627–635; Necturus maculosus, Xenopus laevis (temp. effects on spring performance) 695–698; Trionys spiniferus (sex not determined by temp.) 699–700; Amphibolurus muricatus (voluntary max. temps.) 824–829.

TERRITORIALITY, Boleophthalmus boddarti (pentagonal) 232–234; Heterostichus rostratus 344–350. TONGUE, Anura (musculature) 595–602.

VARIATION, Sceloporus variabilis (geogr. var., subspp. of) 14–27; Gambusia (luma, nicaraguensis, puncticulata yucatana complex, sexradiata) (geogr. var. in Belize) 128–147; Ambystoma maculatum (intraspecific var. in clutch & egg size) 157–160; Zenarchopterus (kampeni, novaeguineae) (geogr. var.)

265–276; Emydura krefftii (of diet with size & sex) 331–336; Catostomus santaanae (genetic variability in Santa Clara drainage S Calif.) 439–444; Ictalurus (melas, natalis) (chromosomal var.) 457–460; Kinosternon flavescens (geogr. var.) 567–580; Polyodon spathula (low genetic variability) 721–725; Deirochelys reticularia, Kinosternon subrubrum, Pseudemys (floridana, scripta), Sternotherus odoratus (var. in reprod. charac.) 776–784; Sceloporus grammicus (morphol. var.) 920–941.

VOMERÓNASAL ORGAN, Vipera berus (role in reprod. behavior) 148–157.

WALLOWS, Crocodylus porosus (as dry-season refuges in N Australia) 478–480.

YOUNG-OF-THE-YEAR, Lepomis (auritus, cyanellus, gibbosus, gulosus, macrochirus), Micropterus salmoides, Pomoxis annularis (growth in) 305–321.

ZOOGEOGRAPHY, Sceloporus variabilis subspp. (Central America) 24–25; Iranocichla hormuzensis (relict distr., S Iran) 28–37; Kinosternon flavescens 567–580.





CONTENTS—1982, Nos. 1-4

Acero P., Arturo and Jame Garzón F. Rediscovery of Anisotremus moricandi (Perciformes: Haemulidae), including a redescription of the species and comments on its ecology and distribution	513
ALFORD, ROSS A. AND MARTHA L. CRUMP. Habitat partitioning among size classes of larval southern	
leopard frogs, Rana utricularia	100
ALLEN, R. F. AND J. F. LHOTKA, JR. Crotalus atrox: notes on the gastric wall	198
Andrén, Claes. The role of the vomeronasal organs in the reproductive behavior of the adder Vipera berus 1	717
APPLEGATE, RICHARD L. Alimentary canal development of muskellunge, Esox masquinongy	17
Oracle Hemon and an arrangement of the control of t	247
Arnold, Stevan J. (see Marx, Hymen)	
ART, GREGORY R. AND DENNIS L. CLAUSSEN. The rate of thermal acclimation in the lizard, Anolis carolinensis 1 ASTAKHOV, D. A. (see Parin, N. V.)	189
AUSTIN, NANCY E. AND JAMES P. BOGART. Erythrocyte area and ploidy determination in the salamanders of the Ambystoma jeffersonianum complex4	485
BACHMANN, MARILYN D. (see Lindquist, Sarah B.)	
BAILEY, REEVE M. (see Robins, C. Richard)	
BALLINGER, ROYCE E. (see Droge, Dale L.)	
Baumgartner, Jeffrey V. A new fossil ictalurid catfish from the Miocene Middle Member of the Truckee Formation, Nevada	38
BAUR, BERTRAND E. (see Montanucci, Richard R.)	
BAYLIS, JEFFREY R. Unusual escape response by two cyprinodontiform fishes, and a bluegill predator's counter-strategy	455
BEIMLER, THEODORE R. (see Burchfield, Patrick M.)	
Bek, Jeffrey R. (see Matthews, William J.)	
Bell, Michael A. Melanism in a high elevation population of Gasterosteus aculeatus	829
Bemis, William E. and Thomas E. Hetherington. The rostral organ of <i>Latimeria chalumnae</i> : morphological evidence of an electroreceptive function	467
Berra, Tim M. Life history of the Australian grayling, Prototroctes maraena (Salmoniformes: Prototroc-	
tidae) in the Tambo River, Victoria	795
Віскнам, John W. (see Haiduk, Michael W.)	
BICKHAM, JOHN W. (see Houseal, Timothy W.)	001
BLEM, CHARLES R. Biennial reproduction in snakes: an alternative hypothesis	961
BOGART, JAMES P. (see Austin, Nancy E.)	
EOWNE, P. S. Swimbladder deposits: occurrence and morphology in Macrouridae, Moridae and Ophid- iiformes	205
Bramble, Dennis M. Scaptochelys: generic revision and evolution of gopher tortoises	852
Brandon, Ronald A. (see Wortham, J. W. Edward, Jr.)	
Branstetter, Steven. Problems associated with the identification and separation of the spinner shark, Carcharhinus brevipinna, and the blacktip shark Carcharhinus limbatus	461
Brazier, Oliver (see Carey, Francis G.)	
Breden, Felix, Andrew Lum and Richard Wassersug. Body size and orientation in aggregates of toad	CMO
tadpoles Bufo woodhousei	672
Brett, Betty Lou Hilton and Daniel J. Grosse. A reproductive pheromone in the Mexican poeciliid fish <i>Poecilia chica</i>	219
Brodie, Edmund D., Jr. (see Formanowicz, Daniel R., Jr.)	
Brown, Joseph A. and Patrick W. Colgan. The inshore vertical distribution of young-of-the-year	0.40
Lepomis in Lake Opinicon, Ontario	958
Cottidae)	450
BRUCE, RICHARD C. Larval periods and metamorphosis in two species of salamanders of the genus Eurycea	117
Bruce, Richard C. Egg-laying, larval periods and metamorphosis of <i>Eurycea bislineata</i> and <i>E. junaluska</i> at Santeetlah Creek, North Carolina	755
Bull, James J. (see Vogt, Richard C.)	
BURCHFIELD, PATRICK M., THEODORE F. BEIMLER AND COLETTE S. DOUCETTE. An unusual precoital head- biting behavior in the Texas patchnosed snake, Salvadora grahamae lineata (Reptilia: Serpentes:	
Colubridae)	192
BUTH, DONALD G. Locus assignments for general muscle proteins of darters (Etheostomatini)	
BUTH, DONALD G. AND CLAUDE B. CRABTREE. Genetic variability and population structure of Catostomus	
santaanae in the Santa Clara drainage	439

	223
EHRHART, LLEWELLYN M. (see Mendonça, Mary T.)	
EMERSON, SHARON B. Frog postcranial morphology: identification of a functional complex	603
FEDER, MARTIN E., THEODORE J. PAPENFUSS AND DAVID B. WAKE. Body size and elevation in neotropical	
salamanders	186
FERRIS, STEPHEN D., DONALD G. BUTH AND GREGORY S. WHITT. Substantial genetic differentiation among	
populations of Catostomus plebeius	144
FINGER, TERRY R. Interactive segregation among three species of sculpins (Cottus)	580
FIRTH, BRUCE T. (see Heatwole, Harold)	
Fisher, Suzanne E. (see Carlson, Douglas M.)	
FORD, NEIL B. Species specificity of sex pheromone trails of sympatric and allopatric garter snakes	
(Thamnophis)	10
FORMANOWICZ, DANIEL R., JR. AND EDMUND D. BRODIE, JR. Relative palatabilities of members of a larval	
amphibian community	91
Foster, Susan A. (see Robertson, D. Ross)	
Frair, Wayne. Serological studies of Emys, Emydoidea and some other testudinid turtles	
Frankenberg, Ellezer. Vocal behavior of the Mediterranean house gecko, Hemidactylus turcicus	770
Gabrielson, Geir (see Carey, Francis G.)	
Garzón F., Jaime (see Acero P., Arturo)	
Gasith, Avital and Israel Sidis. Lung disorder as a possible explanation for the non-swimming be-	
havior observed in aquatic turtles	200
Georges, Arthur. Diet of the Australian freshwater turtle Emydura krefftii (Chelonia: Chelidae), in an	
unproductive lentic environment	331
GIBBONS, J. WHITFIELD, JUDITH L. GREENE AND KAREN K. PATTERSON. Variation in reproductive char-	
acteristics of aquatic turtles	776
GIBBONS, J. WHITFIELD (see Semlitsch, Raymond D.)	
GILLINGHAM, JAMES C. AND JEFFREY A. CHAMBERS. Courtship and pelvic spur use in the Burmese python,	
Python molurus bivittatus	
GLODEK, GARRETT S. AND HAROLD K. VORIS. Marine snake diets: prey composition, diversity and overlap	661
Grande, Lance, Joseph T. Eastman and Ted M. Cavender. Amyzon gosiutensis, a new catostomid fish	
from the Green River FormationGRASSMAN, MARK A. AND DAVID W. OWENS. Development and extinction of food preferences in the	523
Grassman, Mark A. and David W. Owens. Development and extinction of food preferences in the	
loggerhead sea turtle, Caretta caretta	965
Greene, Judith L. (see Gibbons, J. Whitfield)	
Greenfield, David W., Teresa A. Greenfield and David M. Wildrick. The taxonomy and distribution	
of the species of Gambusia (Pisces: Poeciliidae) in Belize, Central America	128
Greenfield, Teresa A. (see Greenfield, David W.)	
GROSSE, DANIEL J. (see Brett, Betty Lou Hilton)	
, 3	969
Guttman, Sheldon I. (see Karlin, Alvan A.)	
HAIDUK, MICHAEL W. AND JOHN W. BICKHAM. Chromosomal homologies and evolution of testudinoid	
turtles with emphasis on the systematic placement of Platysternon	60
HAILMAN, JACK P. Concealment by stripes during movement and bars at rest: field evidence from color	
changes in a goatfish and a coronetfish	454
HALES, DONALD C. (see Rosen, Rudolph A.)	
HEATWOLE, HAROLD AND BRUCE T. FIRTH. Voluntary maximum temperature of the jackie lizard, Am-	
phibolurus muricatus	824
HEEMSTRA, PHILLIP C. Taxonomic notes on some triglid and peristediid fishes (Pisces: Scorpaeniformes)	
from southern Africa	291
Helvey, Mark. First observations of courtship behavior in rockfish, genus Sebastes	763
HETHERINGTON, THOMAS E. (see Bemis, William E.)	
HEYER, W. RONALD (see Drewry, George E.)	
HIKIDA, TSUTOMU. A new limbless Brachymeles (Sauria: Scincidae) from Mt. Kinabalu, North Borneo	840
HILLIS, DAVID M. Morphological differentiation and adaptation of the larvae of Rana berlandieri and	
Rana sphenocephala (Rana pipiens complex) in sympatry	168
HORTON, PHILIPPA. Diversity and systematic significance of anuran tongue musculature	
HOUCK, LYNNE D. Growth rates and age at maturity for the plethodontid salamander Bolitoglossa sub-	
palmata	474
HOUSEAL, T. W. (see Vogt, Richard C.)	
HOUSEAL, TIMOTHY W., JOHN W. BICKHAM AND MARLIN D. SPRINGER. Geographic variation in the yellow	
mud turtle, Kinosternon flavescens	567
Huish, Melvin T. (see Wicker, Anton M.)	

JANSEN, DEBORAH K. A new potting material for radio-telemetry packages	189
JENKINS, ROBERT E. (see Cashner, Robert C.)	
JENKINS, ROBERT E. (see Matthews, William J.)	
JENNRICH, ROBERT I. (see Turner, Frederick B.)	
JOHNSEN, PETER B. AND JUDITH L. WELLINGTON. Detection of glandular secretions by yearling alligators	705
JOHNSON, EMILY Z. (see Johnson, James H.)	
JOHNSON, JAMES H. AND EMILY Z. JOHNSON. Observations on the eye-picking behavior of the cutlips	711
minnow, Exoglossum maxillingua Johnson, William S. and Valerie C. Chase. A record of cleaning symbiosis involving Gobiosoma sp. and	/11
a large Caribbean octopus	719
JONES, STEVEN M. (see Droge, Dale L.)	
KANWISHER, JOHN W. (see Carey, Francis G.)	
KARDONG, KENNETH V. Comparative study of changes in prey capture behavior of the cottonmouth	
(Agkistrodon piscivorus) and Egyptian cobra (Naja haje)	337
KARLIN, ALVAN A., D. BRUCE MEANS, SHELDON I. GUTTMAN AND DAPHNE D. LAMBRIGHT. Systematics and	
the status of Hyla andersonii (Anura: Hylidae) in Florida	175
KETTLER, MICHELLE K. (see Carlson, Douglas M.)	
KEYES, RAYMOND S. Sharks: an unusual example of cleaning symbiosis	225
King, Dennis and Lina Rhodes. Sex ratio and breeding season of Varanus acanthurus	784
KLEEBERGER, STEVEN R. AND J. KIRWIN WERNER. Home range and homing behavior of Plethodon cinereus	100
in northern Michigan	409
tognathus andrei	46
KRUEGER, CHARLES C. (see Luey, James E.)	10
LACY, EDWARD J., JR. (see Thorson, Thomas B.)	
LAGIOS, MICHAEL D. Latimeria and the Chondrichthyes as sister taxa: a rebuttal to recent attempts at	
refutation	942
LAMBRIGHT, DAPHNE D. (see Karlin, Alvan A.)	
Lau, Stephen R. and Paul L. Shafland. Larval development of snook, Centropomus undecimalis (Pisces:	
Centropomidae)	618
LAZELL, JAMES D. (see Nuitja, I. Njoman Sumertha) LEMLY, A. DENNIS AND JOHN F. DIMMICK. Growth of young-of-the-year and yearling centrarchids in	
LEMLY, A. DENNIS AND JOHN F. DIMMICK. Growth of young-of-the-year and yearling centrarchids in	905
relation to zooplankton in the littoral zone of lakes Leuck, Beth E. Comparative burrow use and activity patterns of parthenogenetic and bisexual whiptail	305
lizards (Cnemidophorus: Teiidae)	
LHOTKA, J. F., JR. (see Allen, R. F.)	110
Lin, Jun-Yi. Sperm retention in the lizard Chamaeleo hoehnelii	488
LIN, JUN-YI AND LU KAU-HUNG. Population ecology of the lizard <i>Japalura swinhonis formosensis</i> (Sauria:	
Agamidae) in Taiwan	425
LINDQUIST, DAVID G. (see Shute, Peggy W.)	
LINDQUIST, SARAH B. AND MARILYN D. BACHMANN. The role of visual and olfactory cues in the prey	
catching behavior of the tiger salamander, Ambystoma tigrinum	81
Lodge, D. M. (see McLean, R. B.)	
Lu, Kau-Hung (see Lin, Jun-Yi)	
LUBBOCK, H. R. (see Edwards, A. J.)	
Luey, James E., Charles C. Krueger and Donald R. Schreiner. Genetic relationships among smelt, genus Osmerus	725
Lum, Andrew (see Breden, Felix)	123
Magnusson, William E. and Janet A. Taylor. Wallows of Crocodylus porosus as dry season refuges in	
swamps	
MARTAN, JAN (see Wortham, J. W. Edward, Jr.)	
Martin, Angus A. (see Tyler, Michael J.)	
MARX, HYMEN, GEORGE B. RABB AND STEVAN J. ARNOLD. Pythonodipsas and Spalerosophis, colubrid snake	
genera convergent to the vipers	553
MASON, J. RUSSELL, MICHAEL D. RABIN AND DAVID A. STEVENS. Conditioned taste aversions: skin secre-	
tions used for defense by tiger salamanders, Ambystoma tigrinum	667
MATHIS, PHILIP (see Clark, Bill)	
MATTHEWS, WILLIAM J., JEFFREY R. BEK AND ERIC SURAT. Comparative ecology of the darters Etheostoma	
podostemone, E. flabellare and Percina roanoka in the Upper Roanoke River drainage, Virginia	805
MATTHEWS, WILLIAM J., ROBERT E. JENKINS AND JOHN T. STYRON, JR. Systematics of two forms of black- nose dace, <i>Rhinichthys atratulus</i> (Pisces: Cyprinidae) in a zone of syntopy, with a review of the species	
group	
0 1	- 504

McCoy, C. J. (see Vogt, Richard C.) McEachran, John D. Revision of the South American skate genus Sympterygia (Elasmobranchii:	
Rajiformes)	867
McKaye, Kenneth R. (see Oliver, Michael K.) McLean, R. B., P. T. Singley, D. M. Lodge and R. A. Wallace. Synchronous spawning of thread-fin	050
shad	952
Medica, Philip A. (see Turner, Frederick B.)	
MEDICA, PHILIP A. (see Turner, Frederick B.)	
Mendonça, Mary T. and Llewellyn M. Ehrhart. Activity, population size and structure of immature Chelonia mydas and Caretta caretta in Mosquito Lagoon, Florida	161
MILLER, KIRK. Effect of temperature on sprint performance in the frog Xenopus laevis and the salamander	00*
Necturus maculosus	695
MILLER, ROBERT RUSH (see Chernoff, Barry) MITCHELL, JOSEPH C. (see White, David R.)	
MITTERMEIER, RUSSELL A. (see Rhodin, Anders G. J.)	
MONTANUCCI, RICHARD R. AND BERTRAND E. BAUR. Mating and courtship-related behaviors of the short-horned lizard, <i>Phrynosoma douglassi</i>	071
Mosier, Doyle T. (see Echelle, Anthony A.)	9/1
Murphy, Judith A. (see Wortham, J. W. Edward, Jr.)	
Musick, John A. (see Raschi, William)	
Nagel, Jerry W. (see Seagle, Henry H., Jr.)	
Nielsen, Jørgen G. (see Cohen, Daniel M.)	
NUITJA, I. NJOMAN SUMERTHA AND JAMES D. LAZELL. Marine turtle nesting in Indonesia	
OGILVIE, DAVID M. Behavioral response of goldfish (<i>Carassius auratus</i>) to deoxygenated water	
Africa	
OWENS, DAVID W. (see Grassman, Mark A.)	
PAPENFUSS, THEODORE J. (see Feder, Martin E.) PARIN, N. V. AND D. A. ASTAKHOV. Studies on the acousticolateralis system of beloniform fishes in	
connection with their externatics	976
connection with their systematics	472
PATTERSON, KAREN K. (see Gibbons, J. Whitfield)	
PITKIN, RUTHANNE B. AND STEPHEN G. TILLEY. An unusual aggregation of adult Notophthalmus viridescens	
Prasad, Rajendra (see Choudhury, Ramesh Chandra)	
PRATT, HAROLD L., JR. (see Carey, Francis G.)	
PRITCHARD, PETER Č. H. Nesting of the leatherback turtle, <i>Dermochelys coriacea</i> in Pacific Mexico, with a new estimate of the world population status	
RABB, GEORGE B. (see Marx, Hymen)	
RABIN, MICHAEL D. (see Mason, J. Russell)	
RAMSEY, JOHN S. (see Wallace, Richard K., Jr.)	
RAND, A. STANLEY (see Drewry, George E.)	
RASCHI, WILLIAM, JOHN A. MUSICK AND L. J. V. COMPAGNO. Hypoprion bigelowi, a synonym of Carcharhinus signatus (Pisces: Carcharhinidae), with a description of ontogenetic heterodonty in this species and	
notes on its natural history	701
snakes	102
RHODES, LINA (see King, Dennis)	
RHODIN, ANDERS G. J., RUSSELL A. MITTERMEIER AND ROBERTO DA ROCHA E SILVA. Distribution and taxonomic status of <i>Phrynops hogei</i> , a rare chelid turtle from southeastern Brazil	. 17
RHODIN, ANDERS G. J. AND ROBERT C. SCHOELKOPF. Reproductive data on a female leatherback turtle,	,
Dermochelys coriacea, stranded in New Jersey	. 18
Richardson, J. I. (see Stoneburner, D. L.)	
ROBERTS, TYSON R. Systematics and geographical distribution of the Asian silurid catfish genus Wallago,	
with a key to the species	
ROBERTS, TYSON R. A revision of the South and Southeast Asian angler-catfishes (Chacidae)	
ROBERTSON, D. ROSS AND SUSAN A. FOSTER. Off-reef emigration of young adults of the labrid fish Epibulus insidiator	22

ROBINS, C. RICHARD AND REEVE M. BAILEY. The status of the generic names Microgeophagus, Pseudo- apistogramma, Pseudogeophagus and Papiliochromis (Pisces: Cichlidae)	208
ROCHA E SILVA, ROBERTO DA (see Rhodin, Anders G. J.)	00
Rose, Barbara. Food intake and reproduction in Anolis acutus	22
ROSEN, RUDOLPH A. AND DONALD C. HALES. Occurrence of a blind paddlefish, Polyodon spathula 2	12
SCHALLER, GEORGE B. AND PETER GRANSDEN CRAWSHAW, JR. Fishing behavior of Paraguayan caiman	66
SCHOELKOPF, ROBERT C. (see Rhodin, Anders G. J.)	
SCHMIDT, ROBERT S. Possible importance of lung inflation-related sensory input to frog calling circuits 1	96
SCHMITT, RUSSELL J. AND STEVEN W. STRAND. Cooperative foraging by yellowtail, Seriola lalandei (Carangidae), on two species of fish prey	
SCHREINER, DONALD R. (see Luey, James E.)	
SCHUETT, GORDON W. A copperhead (Aghistrodon controtrix) brood produced from autumn copulations 7	700
SCHWANER, TERRY D. AND HERBERT C. DESSAUER. Comparative immunodiffusion survey of snake trans-	
ferrins focused on the relationships of the natricines	541
SEAGLE, HENRY H., JR. AND JERRY W. NAGEL. Life cycle and fecundity of the American brook lamprey, Lampetra appendix, in Tennessee	362
SEALE, DIANNE B. Physical factors influencing oviposition by the woodfrog, Rana sylvatica, in Pennsylvania 6	527
SEIGEL, JEFFREY A. Median fin-spine locking in the ponyfishes (Perciformes: Leiognathidae)	
SEMLITSCH, RAYMOND D. AND J. WHITFIELD GIBBONS. Body size dimorphism and sexual selection in two species of water snakes	
SHAFLAND, PAUL L. (see Lau, Stephen R.)	311
Shipp, Robert L. (see Williams, Jeffrey T.)	
SHUTE, JOHN R. (see Shute, Peggy W.)	
SHUTE, PEGGY W., JOHN R. SHUTE AND DAVID G. LINDQUIST. Age, growth and early life history of the	
Waccamaw darter, Etheostoma perlongum	561
Sidis, Israel (see Gasith, Avital)	
Singley, P. T. (see McLean, R. B.)	
Sites, Jack W., Jr. Morphological variation within and among three chromosome races of Sceloporus	
grammicus (Sauria: Iguanidae) in the north-central part of its range	920
SITES, JACK W., JR. AND JAMES R. DIXON. Geographic variation in Sceloporus variabilis, and its relationship	
to S. teapensis (Sauria: Iguanidae)	14
SNELSON, FRANKLIN F., JR. Indeterminate growth in males of the sailfin molly, Poecilia latipinna	
Springer, Marlin D. (see Houseal, Timothy W.)	
STEVENS, DAVID A. (see Mason, J. Russell)	
STONEBURNER, D. L., Satellite telemetry of loggerhead sea turtle movement in the Georgia Bight	
STRAND, STEVEN W. (see Schmitt, Russell J.)	303
	465
Styron, John T., Jr. (see Matthews, William J.)	100
SURAT, ERIC (see Matthews, William J.)	
TAYLOR, DOUGLAS H. (see DeRosa, Christopher T.)	
TAYLOR, JANET A. (see Magnusson, William C.)	
THORSON, THOMAS B. AND EDWARD J. LACY, JR. Age, growth rate and longevity of Carcharhinus leucas	
estimated from tagging and vertebral rings	110
THRELKELD, S. T. (see Willis, L.)	
TILLEY, STEPHEN G. (see Pitkin, Ruthanne B.)	
TRICAS, TIMOTHY C. Bioelectric-mediated predation by swell sharks, Cephaloscyllium ventriosum	948
TURNER, FREDERICK B. AND PHILIP A. MEDICA. The distribution and abundance of the flat-tailed horned lizard (<i>Phrynosoma meallii</i>)	
TURNER, FREDERICK B., PHILIP A. MEDICA, ROBERT I. JENNRICH AND BERNARDO G. MAZA. Frequencies of	3.0
broken tails among <i>Uta stansburiana</i> in southern Nevada and a test of the predation hypothesis	835
Tyler, Michael J., Margaret Davies and Angus A. Martin. Biology, morphology and distribution of	
the Australian fossorial frog Cyclorana cryptotis (Anura: Hylidae)	260
VAUGHAN, THOMAS C. (see Clayton, David A.) VOGT, RICHARD C. AND JAMES J. BULL. Genetic sex determination in the spiny softshell <i>Trionyx spinif</i>	
erus (Testudines: Trionychidae)	600
Vogt, Richard C., James J. Bull, C. J. McCoy and T. W. Houseal. Incubation temperature influences	099
	480

II

Voris, Harold K. (see Glodek, Garrett S.)	
WAKE, DAVID B. (see Feder, Martin E.)	
WALDMAN, BRUCE. Quantitative and developmental analyses of the alarm reaction in the zebra danio, Brachydanio rerio	,
WALLACE, R. A. (see McLean, R. B.)	1
WALLACE, RICHARD K., JR. AND JOHN S. RAMSEY. A new cyprinid hybrid, Notropis lutrensis × N. callitaenia, from the Apalachicola drainage in Alabama	214
WARNER, ROBERT R. Mating systems, sex change and sexual demography in the rainbow wrasse, Thalassoma lucasanum	653
Wassersug, Richard (see Breden, Felix)	
Wellon, Paul J. Responses to ophiophagous snakes by snakes of the genus <i>Thamnophis</i>	788
WELLSTEAD, CARL F. Taxonomic re-assignment of the Miocene lizard, <i>Peltosaurus minimus</i> , from Nebraska Werner, J. Kirwin (see Kleeberger, Steven R.)	549
WHITE, DAVID R., JOSEPH C. MITCHELL AND WILLIAM S. WOOLCOTT. Reproductive cycle and embryonic development of <i>Nerodia taxispilota</i> (Serpentes: Colubridae) at the northeastern edge of its range	646
WHITT, GREGORY S. (see Carlson, Douglas M.)	
WHITT, GREGORY S. (see Ferris, Stephen D.)	
WICKER, ANTON M. AND MELVIN T. HUISH. Morphology of bluegill (<i>Lepomis macrochirus</i>), chain pickerel (<i>Esox niger</i>) and yellow perch (<i>Perca flavescens</i>) spermatozoa, as determined by scanning electron microscopy	955
WILDRICK, DAVID M. (see Greenfield, David W.)	
WILLIAMS, JEFFREY T. AND ROBERT L. SHIPP. A new species of the genus Echiodon (Pisces: Carapidae)	845
WILLIAMSON, G. K. (see Stoneburner, D. L.)	
WILLIS, L., S. T. THRELKELD AND C. C. CARPENTER. Tail loss patterns in <i>Thamnophis</i> (Reptilia: Colubridae) and the probable fate of injured individuals	98
WITZELL, W. N. Observations on the green sea turtle (Chelonia mydas) in western Samoa	
Wood, Fern E. and James R. Wood. Sex ratios in captive-reared green turtles, Chelonia mydas	
Wood, James R. (see Wood, Fern E.)	104
WOODWARD, BRUCE DOUGLAS. Local intraspecific variation in clutch parameters in the spotted salamander (Ambystoma maculatum)	157
WOODWARD, BRUCE DOUGLAS. Sexual selection and nonrandom mating patterns in desert anurans (Bufo woodhousei, Scaphiopus couchi, S. multiplicatus and S. bombifrons)	351
WOOLCOTT, WILLIAM S. (see White, David R.)	001
WORTHAM, J. W. EDWARD, JR., JUDITH A. MURPHY, JAN MARTAN AND RONALD A. BRANDON. Scanning electron microscopy of some salamander spermatozoa	52